



SECTION

ELEVATION

- NOTES:
- A. TWO RAIL FENCE SHALL BE INSTALLED AS DIRECTED BY PARK PROJECT MANAGER TO DELINEATE BOUNDARIES WHERE NEEDED AND SHALL NOT BE USED AS A GUARDRAIL OR FOR FALL PROTECTION. BOUNDARIES INCLUDE PROPERTY, WETLANDS AND OTHER GENERAL AREAS WHERE A VISUAL BARRIER IS NEEDED.
 - B. TWO RAIL FENCE SHALL BE USED ADJACENT TO FLAT TERRAIN (3:1 SLOPES OR FLATTER) OR IN LOCATIONS WHERE FALL PROTECTION IS NOT NEEDED.
 - C. LUMBER GRADE SHALL BE IN ACCORDANCE WITH WSDOT STANDARD SPECIFICATIONS.
 - D. ALL FASTENERS AND HARDWARE SHALL BE SUITABLE FOR WOOD TYPE, GRADING, AND OUTDOOR APPLICATIONS.
 - E. REFERENCE PARK STANDARD FOR WOOD PEDESTRIAN GUARDRAILS WHERE FALL PROTECTION IS NEEDED.

PARKS AND RECREATION
 DESIGN AND DEVELOPMENT
 OCTOBER 25, 2022

CITY OF BELLINGHAM
 TWO RAIL FENCE
 SCALE: NTS

DRAWING
 2840.06