

Change Scenario:

[Create New Zone](#)
[Manage Existing Zones](#)
[Log Off](#)

Crossing	Street	Traffic	Warning Device	Pre-SSM	SSM	Risk	
084798U	HARRIS AVE	1500	Gates	0	0	24,786.95	<input type="button" value="MODIFY"/>
084800T	ALK FRY ACCESS RD	200	Gates	0	0	14,824.09	<input type="button" value="MODIFY"/>

Step by Step Instructions:

Step 1: To specify New Warning Device (For Pre-Rule Quiet Zone Only) and/or SSM, click the MODIFY Button

Step 2: Select proposed warning device or SSM. Then click the UPDATE button. To generate a spreadsheet of the values on this page, click on ASM button--This spreadsheet can then be used for ASM calculations.

Step 3: Repeat Step (2) until the SELECT button is shown at the bottom right side of this page. Note that the SELECT button is shown ONLY when the Quiet Zone Risk Index falls below the NSRT or the Risk Index with Horn.

Step 4: To save the scenario and continue, click the SELECT button

* Only Public At Grade Crossings are listed.

Click for Supplementary Safety Measures [SSM]

Click for ASM spreadsheet:

* Note: The use of ASMs requires an application to and approval from the FRA.

Summary	
Proposed Quiet Zone:	FAIRHAVEN 1R
Type:	New 24-hour QZ
Scenario:	FAIRHAVEN _22249
Estimated Total Cost:	\$0.00
Nationwide Significant Risk Threshold:	19047 .00
Risk Index with Horns:	11873.81
Quiet Zone Risk Index:	19805.52

FAIRHAVEN
EXISTING CONDITIONS

Change Scenario:

[Create New Zone](#)
[Manage Existing Zones](#)
[Log Off](#)

Crossing	Street	Traffic	Warning Device	Pre-SSM	SSM	Risk	
084798U	HARRIS AVE	1500	Gates	0	6	5,701.00	<input type="button" value="MODIFY"/>
084800T	ALK FRY ACCESS RD	200	Gates	0	6	3,409.54	<input type="button" value="MODIFY"/>

Step by Step Instructions:

Step 1: To specify New Warning Device (For Pre-Rule Quiet Zone Only) and/or SSM, click the [MODIFY](#) Button

Step 2: Select proposed warning device or SSM. Then click the [UPDATE](#) button. To generate a spreadsheet of the values on this page, click on [ASM](#) button—This spreadsheet can then be used for ASM calculations.

Step 3: Repeat Step (2) until the [SELECT](#) button is shown at the bottom right side of this page. Note that the [SELECT](#) button is shown **ONLY** when the Quiet Zone Risk Index falls below the NSRT or the Risk Index with Horn.

Step 4: To save the scenario and continue, click the [SELECT](#) button

* Only Public At Grade Crossings are listed.

ALERT: Quiet Zone qualifies because SSM has been applied in each crossing.

Click for [Supplementary Safety Measures \[SSM\]](#)

Click for ASM spreadsheet:

* Note: The use of ASMs requires an application to and approval from the FRA.

Summary	
Proposed Quiet Zone:	Fairhaven 1R
Type:	New 24-hour QZ
Scenario:	FAIRHAVEN _22249
Estimated Total Cost:	\$256,000.00
Nationwide Significant Risk Threshold:	19047 .00
Risk Index with Horns:	11873.81
Quiet Zone Risk Index:	4555.27
<input type="button" value="Select"/>	

FAIRHAVEN
ALTERNATIVES 1, 2 & 3