

MEMORANDUM

To: Susan Jones, Landowner
From: Collin Van Slyke, Northwest Ecological Services (NES)
Date: February 24, 2022 (Revised September 28, 2022)
RE: Wetland Delineation Update & Critical Areas Summary
for The Woods at Viewcrest Project

BACKGROUND

Northwest Ecological Services, LLC (NES) was retained to provide an update to the 2010 Critical Areas Report for four parcels (#370212 030004; 370213 075542; -083499; - 113550) totaling approximately 34 acres, located in the Edgemoor neighborhood of Bellingham, Washington (Figure 1).

The parcels were reviewed for wetlands, streams, and other critical areas by Pacific Ecological Consultants in 2010. One wetland (Wetland A) was identified on site during the 2010 review. Since the critical areas report was prepared more than five years ago, an update is needed for projects involving critical area review.

Collin Van Slyke [Professional Wetland Scientist (PWS) #3129] and Michael Whitehurst, of NES, performed site visits June 22nd and 26th of 2020 and August 31st of 2021 to document the current site conditions. The NES site investigation was conducted in accordance with the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region* (Corps, 2010) and the *Corps of Engineers Wetland Delineation Manual* (Environmental Laboratory, 1987). This methodology is consistent with the WDOE's requirements established in 2011 (WAC 173-22-035) and the City of Bellingham (COB) Critical Areas Ordinance (CAO).

Note: This memorandum updates and replaces the June 3, 2022 memo to incorporate the current lot configuration reflected in Figures 3 & 4. This is the sole revision; there are no changes to the critical areas information contained herein.

CURRENT CONDITIONS

The subject parcels are situated on a slope along the northwestern shore of the Chuckanut Bay Tidelands. The site generally exists in the same undeveloped and forested condition that was documented in the 2010 critical areas report. The exception to this is in a localized area in the central portion of the site where the forest understory was burned during a wildfire that occurred in 2019. In general, the site is vegetated with a mixed upland forest dominated by Douglas fir (*Pseudotsuga menziesii*), big leaf maple (*Acer macrophyllum*), salal (*Gaultheria shallon*), and sword fern (*Polystichum munitum*).



NW ECOLOGICAL SERVICES

2801 Meridian St, Suite 202, Bellingham, WA 98225
nwecological.com | t 360.734.9484

Wetlands

The 2010 report identified one slope wetland (Wetland A) in the northeastern corner of the site. NES observed Wetland A and also identified three additional slope wetlands (Wetlands B, C, and D) located in the nearby vicinity (Figure 2). NES collected data documenting wetland vegetation, soils, and hydrology indicators in each wetland (see attached data sheets). NES delineated and marked the wetland boundaries in the field with pink flagging. The flags were surveyed by Pacific Survey and Engineering, Inc. (PSE) to produce Figure 3.

The site wetlands are summarized in Table 1 and described below.

Table 1. Wetland Classification Summary

Wetland	Hydrogeomorphic Class	Cowardin Classification	Size (square feet)
A	Slope	PFO	12,358
B	Slope	PFO	9,476
C	Slope	PFO	991
D	Slope	PEM/PSS	1,813

PFO: Palustrine Forested, PEM: Palustrine Emergent, PSS: Palustrine Scrub Shrub

Wetland A

Wetland A is a palustrine forested (PFO) slope wetland located in the northeastern corner of review area. Vegetation within Wetland A includes: red alder (*Alnus rubra*), Cascara (*Frangula purshiana*), salmonberry (*Rubus spectabilis*), black twinberry (*Lonicera involucrata*), Scouler's willow (*Salix scouleriana*), snowberry (*Symphoricarpos albus*), American skunk cabbage (*Lysichiton americanus*), American brooklime (*Veronica americana*), lady fern (*Athyrium filix-femina*), giant horsetail (*Equisetum telmateia*), Cooley's hedge nettle (*Stachys cooleyae*), Watson's willowherb (*Epilobium ciliatum*), creeping buttercup (*Ranunculus repens*), small bedstraw (*gallium trifidum*), and bluegrass (*Poa sp.*). Invasive species, Himalayan blackberry (*Rubus armeniacus*) and Canada thistle (*Cirsium arvense*), were also present within Wetland A.

Hydrology to Wetland A appears to be driven by surface runoff and a groundwater seep. The wetland is seasonally saturated but also contains seasonal or occasional shallow water flowing-through above or just below the soil surface. Soil in the northern portion of the wetland was saturated to the surface at the time of the June site visit, but the remainder was dry due to the time of year. Water moves through the wetland from northwest to southeast. The wetland outlets to a ditch located between a residential driveway and the eastern wetland boundary. Water from the ditch flows east into a culvert under the driveway and is conveyed south towards Chuckanut Bay.

Wetland B

Wetland B is a PFO slope wetland located west of Wetland A. Wetland B is situated on an approximate seven-degree slope, grading down to the southeast. The area flagged as Wetland B is contains two small upland hummocks located within the central area. Only one larger upland island was flagged within the wetland (Figure 3).

Vegetation observed in the wetland included: black cottonwood (*Populus balsamifera*), western red cedar (*Thuja plicata*), red alder, and Scouler’s willow, Himalayan blackberry, American brooklime, and American skunk cabbage. Much of the ground within the wetland was bare. The upland hummocks were vegetated with Douglas fir, salal, oceanspray (*Holodiscus discolor*), beaked hazelnut (*Corylus cornuta*), sword fern, and small bedstraw.

The wetland appears to be seasonally saturated only. Again, hydrology appears to be driven by surface runoff and a potentially a groundwater seep. Wetland B slopes down to the southeast to an old road grade, where water from the wetland appears to infiltrate.

Wetland C

Wetland C is a very small PFO slope wetland located between Wetlands A and B. The wetland contains almost no vegetation except for a few red alder, red-osier dogwood, Scouler’s willow, and snowberry.

The wetland was dry at the time of the site visits but appears to be seasonally saturated only. The wetland is located on an approximate five percent grade. Water from the wetland appears to outlet to the south and infiltrate into the forested upland.

Wetland D

Wetland D is a palustrine emergent/scrub-shrub (PEM/PSS) slope wetland located in the southeastern portion of the review area. Dominant vegetation within Wetland D included Nootka rose (*Rosa nutkana*), hardhack (*Spirea douglasii*), Himalayan blackberry, and black twinberry, giant horsetail, water parsley (*Oenanthe sarmentosa*), and American skunk cabbage.

Hydrology within Wetland D is similar to the other site wetlands with inputs including surface runoff and groundwater surfacing along the hillside. Water within Wetland D flows downslope to a rock headwall/boulder formation towards the grade break near the southern boundary of the review area. No surface connection to Chuckanut Bay was observed.

WDOE Ratings

NES rated the site wetlands using the updated 2014 Washington Department of Ecology (WDOE) Wetland Rating System for Western Washington. Wetland rating sheets are attached and summarized below in Table 2.

Table 2. Wetland Rating and Functional Assessment

Wetland	Improving Water Quality	Hydrologic	Habitat	Total Score	WDOE Category
A	L/M/L (4)	M/M/L (5)	L/L/H (5)	14	IV
B	L/M/L (4)	L/M/L (4)	L/L/H (5)	13	IV
C	L/L/L (3)	L/L/L (3)	L/L/H (5)	11	IV
D	L/L/L (3)	L/L/L (3)	L/L/H (5)	11	IV

Site potential score /landscape potential score/ value score (total points for function)
L=Low; M=Moderate, H=High

Streams & Seeps

No streams were mapped on-site in 2010 and none were observed during the 2021 site visits.

Consistent with the 2010 report, a groundwater seep was observed in the central portion of the review area (Figure 3, Appendix B). Groundwater surfacing from a slight cut in topography flows downslope along an unvegetated trail. Water infiltrates into the ground without a surface connection to a downstream water or wetland. No defined channel exists, and the seep does not meet the criteria to be designated as a stream per BMC 16.55.470(A)(4) and WAC 222-16-031. Furthermore, as documented in SP 102 (data sheets attached) this area did not contain hydric soil indicators and therefore does not meet wetland criteria.

Shorelines

Chuckanut Bay is located along the southern boundary of the site. The ordinary high water mark (OHWM) along this shoreline is defined by exposed sandstone bedrock located at the toe of a moderately steep slope. The unvegetated bedrock wall is six to ten feet tall. The OHWM was not marked in the field (it would require spray painting the rock), but was mapped in Figure 2 using aerial imagery, LiDAR, and field notes. The beach and intertidal zone were unvegetated and the substrate consisted of a mix of cobble, gravel, and silt.

The COB Shoreline Management Program (SMP) designates this reach of shoreline (Marine 19) with a Natural designation.

The U.S. Fish and Wildlife Service (USFWS) National Wetland Inventory (NWI) mapper indicates an estuarine and marine wetland habitat throughout the entirety of Chuckanut Bay. CityIQ mapping indicates a field-verified estuarine wetland at the northern end of the bay, however this is located approximately 1,000 ft northwest from the subject parcel. Within 1,000 ft of the project area, Chuckanut Bay is an unvegetated, intertidal zone and does not meet wetland criteria.

Fish and Wildlife Habitat Conservation Areas (HCAs)

The COB regulates Chuckanut Bay as an HCA. Chuckanut Bay is mapped by WDFW to contain hardshell clam and shorebird concentrations (Priority Species/ Habitats).

The COB 2014 Nearshore Connectivity Study ranks the on-site marine reach (EU 19) as one of the high functioning shoreline reaches in the City of Bellingham: "This unit includes a relatively undeveloped shoreline and marine riparian zone with a functional connection to the beach, an unimpeded connection to Chuckanut Creek, and a stream delta....this EU exhibits a high level of connectivity and intact habitat." As such, it appears the area qualifies as a Washington Department of Fish and Wildlife (WDFW) Priority Area (Biodiversity Area), which is regulated by the COB as an HCA.

Wetlands A and B contain large woody debris and snags meeting the definition of Priority habitat features. Pileated woodpecker (*Dryocopus pileatus*) excavations were observed within a snag in Wetland A. This species was removed from the WDFW PHS list in 2021.

Due to the slope and lack ponding, no amphibian breeding habitat is assumed to exist within the any of the site wetlands.

To other regulated HCAs were identified on site or the immediate vicinity. Further detail regarding potential site habitat is included in the Wildlife Habitat Assessment prepared by Raedeke and Associates in 2022.

DETERMINATION & REGULATORY SUMMARY

Table 3 summarizes agencies with regulatory authority over site critical areas and the anticipated buffers.

Table 3. Critical Areas Summary

Feature	WDOE Category/ Shoreline Designation	Regulatory Authority				Corps Hydrology Classification	Regulated Buffer (ft)*
		COB	Corps	WDOE	WDFW		
Wetland A	IV	X		X		Isolated	50
Wetland B	IV	X		X		Isolated	50
Wetland C	IV			X		Isolated	n/a
Wetland D	IV	X		X		Isolated	50
Chuckanut Bay	Natural	X	X	X	X	TNW	200

TNW= Traditional Navigable Water

* Buffer based on high intensity land use

City of Bellingham

The COB regulates all wetlands, regardless of size, with the exception of isolated Category III or IV wetlands smaller than 1,000 sq. ft. that do not provide suitably significant or unique characteristics as defined by the CAO (BMC 16.55.270). Wetlands A, B, and D are greater than 1,000 sq. ft. and are therefore expected to be regulated by the COB.

Wetland C is a Category IV wetland and is smaller than 1,000 sq. ft. **Therefore, Wetland C is not expected to be regulated by the COB and no buffer is required.**

The COB requires a buffer around regulated critical areas to protect functions. The buffer must remain naturally vegetated except where it can be enhanced to improve functions. It appears that a high intensity land use would apply to the proposed project based on housing density. Wetlands A and B are Category IV wetlands with low (four) habitat points. According to BMC 16.55.340(B), **Wetlands A, B, and D are expected to require 50-foot standard buffers (Figure 2).**

The COB CAO regulates Chuckanut Bay as an HCA. The COB Shoreline Management Program (SMP) designates this reach of shoreline (Marine 19) with a Natural designation. **The SMP requires a regulated buffer of 200 feet extending from the Chuckanut Bay OHWM.**

WDOE

WDOE has authority over discharge into all wetlands (including isolated wetlands) and streams and can impose buffers and compensatory mitigation for impacts (RCW 90.48).

Under Section 401 of the Clean Water Act (CWA), any activity involving a discharge into waters of the U.S. authorized under a Federal permit must receive a CWA Section 401 Water Quality Certification (WQC). WDOE is authorized to make WQC decisions on federal, public and private lands in Washington, with a few exceptions (where EPA or Tribes have authority). WDOE reviews all CWA Section 404 permit applications received by the Corps for WQC. WDOE requires an “individual” review of all wetland disturbances greater than one-half acre, or for projects in tidal waters or where impacts to wetlands and streams are determined to require additional review.

WDFW

WDFW requires issuance of a Hydraulic Project Approval (HPA) prior to any activities that may directly or indirectly affect streams or associated wetlands. **WDFW is not expected to regulate the site wetlands due to lack of direct connectivity to a stream. None are proposed, but WDFW would regulate any activities below the OHWM of Chuckanut Bay.** Only WDFW has the authority to make this determination. Mitigation may be required for impacts.

U.S. Army Corps of Engineers

The Corps regulates the discharge of dredged or fill material into wetlands, streams, and other drainages that connect to Waters of the United States (WOTUS) under Section 404 of the CWA. The Corps regulates structures and/or work in or affecting the course, condition, or capacity of WOTUS under Section 10 of the Rivers and Harbors Act of 1899. The Corps requires notification for **all** disturbances to wetlands, streams, and potentially to other drainages (ditches). It is incumbent upon the landowner to disclose disturbances.

The Corps will automatically assert jurisdiction over some surface waters and will need to complete a “significant nexus” determination for others, depending on the degree of connection to other waters, the hydrologic classification of these associated waters, and their significance in the larger drainage basin. Wetland hydrologic classification and connectivity is described in this report as the “Corps hydrologic classification” (Table 3) using definitions provided in current Corps guidance documents.

The Corps hydrologic classification is based on whether a surface water meets the definition of or is connected to a waterbody that meets the definition of a Traditional Navigable Water (TNW) or a Relatively Permanent Water (RPW). A TNW is a navigable water protected under Section 10 of the Rivers and Harbors Act of 1899 or other waters currently or historically used or susceptible to use in interstate or foreign commerce. An RPW is a surface stream or river that exhibits continuous flow of more than three months out of the year.

Only the Corps has the authority to make jurisdictional determinations; however, the following is a description of the anticipated determinations. Water outflowing from Wetlands B, C, and D appears to infiltrate into downslope upland areas. No direct surface connections to Chuckanut Bay (a TNW) were observed. **Therefore, Wetlands B, C, and D are not anticipated to be regulated by the Corps.** Wetland A outlets water to a ditch which conveys water to a culvert, eventually outfalling to Chuckanut Bay. This ditch does not appear to meet the definition of a tributary or RPW and therefore, **the Corps may potentially not regulate**

Wetland A. However, a Jurisdictional Determination (JD) would need to be made by the Corps to confirm this if impacts to Wetland A were proposed.

Activities in Waters of the United States that require Corps authorization may qualify for authorization under one of the general Nationwide Permits (NWP) if the activities meet the criteria. In the more commonly used NWP, discharge (fill) is limited to under 1/2 acre of wetland, 300 linear feet of stream, and 1/3 acre of tidal waters. Discharge exceeding the NWP thresholds requires an Individual Permit from the Corps. Mitigation is required for most activities. The Corps also has discretion to disallow disturbance to high quality wetlands. As part of their permit review, the Corps must verify the project complies with Section 7 of the Endangered Species Act, the Magnuson-Stevens Fishery Conservation and Management Act, and Section 106 of the National Historic Preservation Act, (including archeological sites).

Site Plan

The preliminary plat (Attachment 4) depicts the proposed lot layout, roads, and future building sites. As depicted, the plat avoids impacts to all critical areas and buffers identified in this report.

ATTACHMENTS

Figures:

1. Vicinity Map
2. Critical Areas Overview Map
3. Wetlands Survey Map
4. Preliminary Plat

Photo Page

Data Sheets

Current WDOE Rating Forms



ECOLOGICAL




Vicinity Map
(Google Maps)

The Woods at Viewcrest
Critical Areas Update

Figure 1

SEPT 2022



Critical Areas Overview Map

Figure 2


**The Woods at Viewcrest
 Critical Areas Update**

SEPT 2022



EXISTING SYMBOL LEGEND:


⊕ = EXISTING TEST HOLE


⊙ = EXISTING TEST PIT


 = WETLAND PER NORTHWEST ECOLOGICAL SERVICES DELINEATION, SEPTEMBER 2021

GRAPHIC SCALE
(US SURVEY FEET)



<p>ECOLOGICAL</p>  <p>NORTHWEST</p>	<p>Wetlands Survey Map (PSE)</p> <p>The Woods at Viewcrest Critical Areas Update</p>	<p>Figure 3</p> <p>SEPT 2022</p>
--	---	--



<p>ECOLOGICAL</p> <p>NORTHWEST</p> 	<p>Preliminary Plat (PSE)</p> <p>The Woods at Viewcrest Critical Areas Update</p>	<p>Figure 4</p> <p>SEPT 2022</p>
--	---	--



Detail of typical upland forest dominating most of site



Detail of area affected by past forest fire



Overview of Wetland A, looking west



Overview of Wetland A, looking northwest



Detail of Wetland B



Detail of Wetland B



Overview of Wetland C



Overview of Mud Bay shoreline and OHWM



Overview of Wetland D



Detail of Wetland D outlet



Overview of seep



Seep from downslope

WETLAND DETERMINATION DATA FORM – Western Mountain, Valley Coast Region

Project Site: Viewcrest City/County: Bellingham Sample Date: 06/22/20
 Applicant/Owner: Jones State: WA Sample Point: 01
 Investigator: Van Slyke; Whitehurst Section/Township/Range: 13/37N/02E
 Landform (hillslope, terrace, etc): slope Local Relief (concave, convex, none): Subregion: LRR A
 Soil Map Unit Name: Everett-Urban land complex NWI Classification: none
 Are climatic/hydrologic conditions on the site typical of this time of year? Yes No (if no, explain in Remarks)
 Are Vegetation , Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Remarks: Wetland A. Positive indicators for all three parameters were observed at this location.	

VEGETATION

Tree Stratum (Plot size: 30 feet)	Absolute % Cover	Indicator Status	Dominant Species?	Dominance Test worksheet	
<i>Alnus rubra</i>	90	FAC	<input checked="" type="checkbox"/>	Number of Dominant Species that are OBL, FACW, or FAC:	5+
<i>Rhamnus purshiana</i>	5	FAC	<input type="checkbox"/>		
	-	-	<input type="checkbox"/>		
	-	-	<input type="checkbox"/>		
Total Cover:	95			Total number of dominant species across all strata:	8 (A)
Sapling/Shrub Stratum (Plot size: 15 feet)				Percent of dominant species that are OBL, FACW, FAC:	62+
<i>Symphoricarpos albus</i>	20	FACU	<input checked="" type="checkbox"/>	Prevalence Index worksheet	(A/AB)
<i>Rubus spectabilis</i>	15	FAC	<input checked="" type="checkbox"/>		
<i>Lonicera involucrata</i>	10	FAC	<input checked="" type="checkbox"/>		
	-	-	<input type="checkbox"/>	OBL species:	x 1=
	-	-	<input type="checkbox"/>	FACW species:	x 2=
Total Cover:	45			FAC species:	x 3=
				FACU species:	x 4=
Herb Stratum (Plot size: 5 feet)				UPL species:	x 5=
<i>Poa sp.</i>	60	-	<input checked="" type="checkbox"/>	Total: (A)	(B)
<i>Lysichiton americanus</i>	20	OBL	<input checked="" type="checkbox"/>	Prevalence Index = B/A =	
<i>Equisetum telmateia</i>	20	FACW	<input checked="" type="checkbox"/>	Hydrophytic Vegetation Indicators:	
<i>Athyrium filix-femina</i>	10	FAC	<input type="checkbox"/>	<input checked="" type="checkbox"/> Dominance Test is > 50%	
<i>Cirsium arvense</i>	10	FAC	<input type="checkbox"/>	<input type="checkbox"/> Prevalence Index is ≤ 3.0 ¹	
<i>Veronica americana</i>	5	OBL	<input type="checkbox"/>	<input type="checkbox"/> Morphological Adaptations ¹ (provide supporting data in Remarks or on a separate sheet)	
Total Cover:	125			<input type="checkbox"/> Wetland Non-Vascular Plants ¹	
Woody Vine Stratum (Plot size: 30 feet)				<input type="checkbox"/> Problematic Hydrophytic Vegetation ¹	
<i>Rubus armeniacus</i>	5	FAC	<input checked="" type="checkbox"/>	¹ Indicators of hydric soil and wetland hydrology must be present.	
	-	-	<input type="checkbox"/>		
	-	-	<input type="checkbox"/>		
Total Cover:	5				
% Bare Ground in Herb Stratum: 0					
Remarks: The majority of dominant species observed at this location were hydrophytic. <i>Poa</i> species is undetermined.				Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

SOIL

Sample Point: 01

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Soil Color		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-8	10YR 2/2	95	10YR 4/6	5	C	M	silt loam	
8-16	2.5Y 4/2	60	10YR 5/6	40	C	M	sandy silt loam	
					-	-		
					-	-		
					-	-		
					-	-		
					-	-		
					-	-		

¹Type: C=concentration D=depletion RM=reduced matrix ²Location: PL=pore lining RC=root channel M=matrix

Hydric Soil Indicators: (applicable to all LRRs unless otherwise noted)		Indicators for Problematic Hydric Soils³:
<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> 2 cm Muck (A10)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)	<input type="checkbox"/> Red parent material (TF2)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1)	<input type="checkbox"/> Very shallow dark surface (TF12)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Other (Explain in Remarks)
<input checked="" type="checkbox"/> Depleted Below Dark Surface (A11)	<input checked="" type="checkbox"/> Depleted Matrix (F3)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input checked="" type="checkbox"/> Redox Dark Surface (F6)	
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)	
Restrictive Layer (if present):		Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Type:		
Depth (inches):		
Remarks: Soil at this location met NRCS hydric soil indicators A11, F3, and F6.		

HYDROLOGY

Wetland hydrology Indicators:	Secondary Indicators (2 or more required)
Primary Indicators (any one indicator is sufficient)	
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-stained Leaves (B9) (except MLRA 1, 2, 4A and 4B)
<input checked="" type="checkbox"/> Saturation (A3)	<input checked="" type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water marks (B1)	<input type="checkbox"/> Dry-season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Frost-heave Hummocks (D7)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> FAC-neutral (D5)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)
Field Observations:	Wetland Hydrology Present?
Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches):	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Water Table Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): -10	
Saturation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): -10 (include capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks: Soil was saturated at -10 inches.	

WETLAND DETERMINATION DATA FORM – Western Mountain, Valley Coast Region

Project Site: Viewcrest	City/County: Bellingham	Sample Date: 06/22/20
Applicant/Owner: Jones	State: WA	Sample Point: 02
Investigator: Van Slyke; Whitehurst	Section/Township/Range: 13/37N/02E	
Landform (hillslope, terrace, etc): slope	Local Relief (concave, convex, none) :	Subregion: LRR A
Soil Map Unit Name: Everett-Urban land complex	NWI Classification: none	
Are climatic/hydrologic conditions on the site typical of this time of year? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> (if no, explain in Remarks)		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed? Are "Normal Circumstances" present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic? (If needed, explain any answers in Remarks.)		

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Remarks: Upland adjacent to Wetland A. Positive indicators for all three parameters were not observed at this location.	

VEGETATION

Tree Stratum (Plot size: 30 feet)	Absolute % Cover	Indicator Status	Dominant Species?	Dominance Test worksheet	
<i>Pseudotsuga menziesii</i>	50	FACU	<input checked="" type="checkbox"/>	Number of Dominant Species that are OBL, FACW, or FAC:	1 (A)
<i>Thuja plicata</i>	20	FAC	<input checked="" type="checkbox"/>		
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
Total Cover:	70			Total number of dominant species across all strata:	5 (AB)
Sapling/Shrub Stratum (Plot size: 15 feet)	Absolute % Cover	Indicator Status	Dominant Species?	Prevalence Index worksheet	
<i>Gaultheria shallon</i>	65	FACU	<input checked="" type="checkbox"/>	OBL species: x 1= FACW species: x 2= FAC species: x 3= FACU species: x 4= UPL species: x 5= Total: (A) (B)	20 (A/AB)
<i>Oemleria cerasiformis</i>	40	FACU	<input checked="" type="checkbox"/>		
<i>Corylus cornuta</i>	15	FACU	<input type="checkbox"/>		
<i>Rosa gymnocarpa</i>	10	FACU	<input type="checkbox"/>		
Total Cover:	130			Prevalence Index = B/A =	
Herb Stratum (Plot size: 5 feet)	Absolute % Cover	Indicator Status	Dominant Species?	Hydrophytic Vegetation Indicators:	
<i>Pteridium aquilinum</i>	5	FACU	<input checked="" type="checkbox"/>	<input type="checkbox"/> Dominance Test is > 50% <input type="checkbox"/> Prevalence Index is ≤3.0 ¹ <input type="checkbox"/> Morphological Adaptations ¹ (provide supporting data in Remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants ¹ <input type="checkbox"/> Problematic Hydrophytic Vegetation ¹ ¹ Indicators of hydric soil and wetland hydrology must be present.	(B)
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
Total Cover:	5				
Woody Vine Stratum (Plot size: 30 feet)	Absolute % Cover	Indicator Status	Dominant Species?	Hydrophytic Vegetation Present?	
		-	<input type="checkbox"/>	Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	(B)
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
Total Cover:	0				
% Bare Ground in Herb Stratum: 20					
Remarks: The majority of dominant species observed at this location were not hydrophytic.					

SOIL

Sample Point: 02

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Soil Color		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
+1					-	-		Duff
0-2	10YR 3/2	100			-	-	loam	
2-16	10YR 6/1	99	2.5Y 6/4	1	C	M	silt loam	
					-	-		
					-	-		
					-	-		
					-	-		

¹Type: C=concentration D=depletion RM=reduced matrix ²Location: PL=pore lining RC=root channel M=matrix

Hydric Soil Indicators: (applicable to all LRRs unless otherwise noted)	Indicators for Problematic Hydric Soils³:
<input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input checked="" type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Stripped Matrix (S6) <input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1) <input type="checkbox"/> Loamy Gleyed Matrix (F2) <input type="checkbox"/> Depleted Matrix (F3) <input type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input type="checkbox"/> Redox Depressions (F8)
<input type="checkbox"/> 2 cm Muck (A10) <input type="checkbox"/> Red parent material (TF2) <input type="checkbox"/> Very shallow dark surface (TF12) <input type="checkbox"/> Other (Explain in Remarks)	
³ Indicators of hydrophytic vegetation and wetland hydrology must be present.	

Restrictive Layer (if present):	Hydric Soil Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Type: 5	
Depth (inches):	
Remarks: Soil at this location does not meet NRCS hydric soil indicators.	

HYDROLOGY

Wetland hydrology Indicators:	Secondary Indicators (2 or more required)
Primary Indicators (any one indicator is sufficient) <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water marks (B1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) <input type="checkbox"/> Water-stained Leaves (B9) (except MLRA 1, 2, 4A and 4B) <input type="checkbox"/> Salt Crust (B11) <input type="checkbox"/> Aquatic Invertebrates (B13) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Oxidized Rhizospheres along living roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Stunted or Stresses Plants (D1) (LRR A) <input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Water-stained (B9) (MLRA 1,2,4A, and 4B) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Dry-season Water Table (C2) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Frost-heave Hummocks (D7) <input type="checkbox"/> FAC-neutral (D5)	
Field Observations:	
Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches):	Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches):	
Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): (include capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks: Soils were dry, and no hydrology indicators were observed.	

WETLAND DETERMINATION DATA FORM – Western Mountain, Valley Coast Region

Project Site: Viewcrest City/County: Bellingham Sample Date: 06/26/20
 Applicant/Owner: Jones State: WA Sample Point: 03
 Investigator: Van Slyke; Whitehurst Section/Township/Range: 13/37N/02E
 Landform (hillslope, terrace, etc): slope Local Relief (concave, convex, none): Subregion: LRR A
 Soil Map Unit Name: Nati Loam NWL Classification: none
 Are climatic/hydrologic conditions on the site typical of this time of year? Yes No (if no, explain in Remarks)
 Are Vegetation , Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Remarks: Wetland B. Positive indicators for all three parameters were observed at this location.	

VEGETATION

Tree Stratum (Plot size: 30 feet)	Absolute % Cover	Indicator Status	Dominant Species?	Dominance Test worksheet	
<i>Alnus rubra</i>	30	FAC	<input checked="" type="checkbox"/>	Number of Dominant Species that are OBL, FACW, or FAC:	3
<i>Acer macrophyllum</i>	25	FACU	<input checked="" type="checkbox"/>		
		-	<input type="checkbox"/>		(A)
		-	<input type="checkbox"/>	Total number of dominant species across all strata:	6
Total Cover:	55				(AB)
Sapling/Shrub Stratum (Plot size: 15 feet)				Percent of dominant species that or OBL, FACW, FAC:	50
<i>Symphoricarpos albus</i>	10	FACU	<input checked="" type="checkbox"/>		(A/AB)
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
Total Cover:	10				
Herb Stratum (Plot size: 5 feet)				Prevalence Index worksheet	
<i>Veronica americana</i>	20	OBL	<input checked="" type="checkbox"/>	OBL species: 20	x 1= 20
<i>Rubus ursinus</i>	5	FACU	<input checked="" type="checkbox"/>	FACW species: 0	x 2= 0
		-	<input type="checkbox"/>	FAC species: 45	x 3= 135
		-	<input type="checkbox"/>	FACU species: 40	x 4= 160
		-	<input type="checkbox"/>	UPL species: 0	x 5= 0
Total Cover:	25			Total: 105	(A) 315 (B)
				Prevalence Index = B/A = 3.0	
Woody Vine Stratum (Plot size: 30 feet)				Hydrophytic Vegetation Indicators:	
<i>Rubus armeniacus</i>	15	FAC	<input checked="" type="checkbox"/>	<input type="checkbox"/> Dominance Test is > 50%	
		-	<input type="checkbox"/>	<input checked="" type="checkbox"/> Prevalence Index is ≤3.0 ¹	
		-	<input type="checkbox"/>	<input type="checkbox"/> Morphological Adaptations ¹ (provide supporting data in Remarks or on a separate sheet)	
		-	<input type="checkbox"/>	<input type="checkbox"/> Wetland Non-Vascular Plants ¹	
		-	<input type="checkbox"/>	<input type="checkbox"/> Problematic Hydrophytic Vegetation ¹	
Total Cover:	15			¹ Indicators of hydric soil and wetland hydrology must be present.	
% Bare Ground in Herb Stratum: 80					
Remarks: The majority of dominant species observed at this location were hydrophytic based on the prevalence index.				Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

SOIL

Sample Point: 03

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Soil Color		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-11	10YR 3/2	80	10YR 4/4	20	C	RC	fine sandy silt loam	
11-16	10YR 4/4	60	10YR 4/6	10	C	M	clayey silt loam	
	2.5Y 5/3	30			-	-		
					-	-		
					-	-		
					-	-		
					-	-		

¹Type: C=concentration D=depletion RM=reduced matrix ²Location: PL=pore lining RC=root channel M=matrix

Hydric Soil Indicators: (applicable to all LRRs unless otherwise noted)		Indicators for Problematic Hydric Soils³:
<input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Stripped Matrix (S6) <input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1) <input type="checkbox"/> Loamy Gleyed Matrix (F2) <input type="checkbox"/> Depleted Matrix (F3) <input checked="" type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input type="checkbox"/> Redox Depressions (F8)	<input type="checkbox"/> 2 cm Muck (A10) <input type="checkbox"/> Red parent material (TF2) <input type="checkbox"/> Very shallow dark surface (TF12) <input type="checkbox"/> Other (Explain in Remarks)
Restrictive Layer (if present): Type: Depth (inches):		Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: Soil at this location met NRCS hydric soil indicator F6.		

HYDROLOGY

Wetland hydrology Indicators: Primary Indicators (any one indicator is sufficient)	Secondary Indicators (2 or more required)
<input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water marks (B1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) <input type="checkbox"/> Water-stained Leaves (B9) (except MLRA 1, 2, 4A and 4B) <input type="checkbox"/> Salt Crust (B11) <input type="checkbox"/> Aquatic Invertebrates (B13) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input checked="" type="checkbox"/> Oxidized Rhizospheres along living roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Stunted or Stresses Plants (D1) (LRR A) <input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Water-stained (B9) (MLRA 1, 2, 4A, and 4B) <input checked="" type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Dry-season Water Table (C2) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Frost-heave Hummocks (D7) <input type="checkbox"/> FAC-neutral (D5)	
Field Observations: Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): (include capillary fringe)	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks: Soil was damp but not saturated. Primary indicator C3 observed.	

WETLAND DETERMINATION DATA FORM – Western Mountain, Valley Coast Region

Project Site: Viewcrest City/County: Bellingham Sample Date: 06/26/20
 Applicant/Owner: Jones State: WA Sample Point: 04
 Investigator: Van Slyke; Whitehurst Section/Township/Range: 13/37N/02E
 Landform (hillslope, terrace, etc): slope Local Relief (concave, convex, none): Subregion: LRR A
 Soil Map Unit Name: Nati Loam NWL Classification: none
 Are climatic/hydrologic conditions on the site typical of this time of year? Yes No (if no, explain in Remarks)
 Are Vegetation , Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hydric Soil Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Remarks: Upland island within Wetland B. Positive indicators for all three parameters were not observed at this location.	

VEGETATION

Tree Stratum (Plot size: 30 feet)	Absolute % Cover	Indicator Status	Dominant Species?	Dominance Test worksheet	
<i>Alnus rubra</i>	40	FAC	<input checked="" type="checkbox"/>	Number of Dominant Species that are OBL, FACW, or FAC:	1
<i>Pseudotsuga menziesii</i>	20	FACU	<input checked="" type="checkbox"/>		(A)
		-	<input type="checkbox"/>	Total number of dominant species across all strata:	6
		-	<input type="checkbox"/>		(AB)
Total Cover:	60				
Sapling/Shrub Stratum (Plot size: 15 feet)				Percent of dominant species that or OBL, FACW, FAC:	17
<i>Gaultheria shallon</i>	60	FACU	<input checked="" type="checkbox"/>		(A/AB)
<i>Oemleria cerasiformis</i>	10	FACU	<input type="checkbox"/>		
<i>Vaccinium parvifolium</i>	5	FACU	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
Total Cover:	75				
Herb Stratum (Plot size: 5 feet)				Prevalence Index worksheet	
<i>Polystichum munitum</i>	20	FACU	<input checked="" type="checkbox"/>		OBL species: x 1=
<i>Rubus ursinus</i>	20	FACU	<input checked="" type="checkbox"/>	FACW species: x 2=	
<i>Geranium robertianum</i>	15	FACU	<input checked="" type="checkbox"/>	FAC species: x 3=	
		-	<input type="checkbox"/>	FACU species: x 4=	
		-	<input type="checkbox"/>	UPL species: x 5=	
Total Cover:	55			Total: (A) (B)	
		-	<input type="checkbox"/>	Prevalence Index = B/A =	
		-	<input type="checkbox"/>	Hydrophytic Vegetation Indicators:	
		-	<input type="checkbox"/>	<input type="checkbox"/> Dominance Test is > 50%	
		-	<input type="checkbox"/>	<input type="checkbox"/> Prevalence Index is ≤3.0 ¹	
		-	<input type="checkbox"/>	<input type="checkbox"/> Morphological Adaptations ¹ (provide supporting data in Remarks or on a separate sheet)	
		-	<input type="checkbox"/>	<input type="checkbox"/> Wetland Non-Vascular Plants ¹	
		-	<input type="checkbox"/>	<input type="checkbox"/> Problematic Hydrophytic Vegetation ¹	
		-	<input type="checkbox"/>	¹ Indicators of hydric soil and wetland hydrology must be present.	
Total Cover:	0				
% Bare Ground in Herb Stratum: 45					
Remarks: The majority of dominant species observed at this location were not hydrophytic.					
Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>					

SOIL

Sample Point: 04

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Soil Color		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-8	10YR 3/2	100			-	-	silt loam	
8-16	10YR 3/2	80			-	-	gravelly silt loam	mixed
	10YR 5/2	20			-	-	gravelly silt loam	mixed
					-	-		
					-	-		
					-	-		
					-	-		

¹Type: C=concentration D=depletion RM=reduced matrix ²Location: PL=pore lining RC=root channel M=matrix

Hydric Soil Indicators: (applicable to all LRRs unless otherwise noted)		Indicators for Problematic Hydric Soils³:
<input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Stripped Matrix (S6) <input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1) <input type="checkbox"/> Loamy Gleyed Matrix (F2) <input type="checkbox"/> Depleted Matrix (F3) <input type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input type="checkbox"/> Redox Depressions (F8)	
Restrictive Layer (if present): Type: Depth (inches):		Hydric Soil Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: Soil at this location did not meet NRCS hydric soil indicators.		

HYDROLOGY

Wetland hydrology Indicators:		Secondary Indicators (2 or more required)
Primary Indicators (any one indicator is sufficient)		
<input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water marks (B1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) <input type="checkbox"/> Water-stained Leaves (B9) (except MLRA 1, 2, 4A and 4B) <input type="checkbox"/> Salt Crust (B11) <input type="checkbox"/> Aquatic Invertebrates (B13) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Oxidized Rhizospheres along living roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Stunted or Stresses Plants (D1) (LRR A) <input type="checkbox"/> Other (Explain in Remarks)	
Field Observations: Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): (include capillary fringe)		<input type="checkbox"/> Water-stained (B9) (MLRA 1,2,4A, and 4B) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Dry-season Water Table (C2) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Frost-heave Hummocks (D7) <input type="checkbox"/> FAC-neutral (D5)
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: Soils were dry, and no indicators of wetland hydrology were observed.		

WETLAND DETERMINATION DATA FORM – Western Mountain, Valley Coast Region

Project Site: Viewcrest City/County: Bellingham Sample Date: 06/26/20
 Applicant/Owner: Jones State: WA Sample Point: 05
 Investigator: Van Slyke; Whitehurst Section/Township/Range: 13/37N/02E
 Landform (hillslope, terrace, etc): slope Local Relief (concave, convex, none): Subregion: LRR A
 Soil Map Unit Name: Nati Loam NWI Classification: none
 Are climatic/hydrologic conditions on the site typical of this time of year? Yes No (if no, explain in Remarks)
 Are Vegetation , Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Remarks: Wetland C. Positive indicators for all three parameters were observed at this location.	

VEGETATION

Tree Stratum (Plot size: 30 feet)	Absolute % Cover	Indicator Status	Dominant Species?	Dominance Test worksheet	
<i>Alnus rubra</i>	75	FAC	<input checked="" type="checkbox"/>	Number of Dominant Species that are OBL, FACW, or FAC:	3
		-	<input type="checkbox"/>		(A)
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>	Total number of dominant species across all strata:	3
Total Cover:	75				(AB)
Sapling/Shrub Stratum (Plot size: 15 feet)				Percent of dominant species that or OBL, FACW, FAC:	100
<i>Cornus alba</i>	35	FACW	<input checked="" type="checkbox"/>		
<i>Salix scouleriana</i>	25	FAC	<input checked="" type="checkbox"/>		(A/AB)
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
Total Cover:	60				
Herb Stratum (Plot size: 5 feet)				FACU species:	x 4=
		-	<input type="checkbox"/>	UPL species:	x 5=
		-	<input type="checkbox"/>	Total:	(A) (B)
		-	<input type="checkbox"/>	Prevalence Index = B/A =	
		-	<input type="checkbox"/>	Hydrophytic Vegetation Indicators:	
		-	<input type="checkbox"/>	<input checked="" type="checkbox"/> Dominance Test is > 50%	
		-	<input type="checkbox"/>	<input type="checkbox"/> Prevalence Index is ≤3.0 ¹	
		-	<input type="checkbox"/>	<input type="checkbox"/> Morphological Adaptations ¹ (provide supporting data in Remarks or on a separate sheet)	
Total Cover:	0			<input type="checkbox"/> Wetland Non-Vascular Plants ¹	
		-	<input type="checkbox"/>	<input type="checkbox"/> Problematic Hydrophytic Vegetation ¹	
		-	<input type="checkbox"/>	¹ Indicators of hydric soil and wetland hydrology must be present.	
Total Cover:	0				
% Bare Ground in Herb Stratum: 100					
Remarks: The majority of dominant species observed at this location were hydrophytic.					
Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					

SOIL

Sample Point: 05

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Soil Color		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-16	10YR 4/1	60	7.5YR 4/6	40	C	M	silt loam with cobble	
					-	-		
					-	-		
					-	-		
					-	-		
					-	-		
					-	-		
					-	-		

¹Type: C=concentration D=depletion RM=reduced matrix ²Location: PL=pore lining RC=root channel M=matrix

Hydric Soil Indicators: (applicable to all LRRs unless otherwise noted)		Indicators for Problematic Hydric Soils³:
<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> 2 cm Muck (A10)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)	<input type="checkbox"/> Red parent material (TF2)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1)	<input type="checkbox"/> Very shallow dark surface (TF12)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input checked="" type="checkbox"/> Depleted Matrix (F3)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)	
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)	
Restrictive Layer (if present):		Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Type:		
Depth (inches):		
Remarks: Soil at this location met NRCS hydric soil indicator F3.		

HYDROLOGY

Wetland hydrology Indicators:	Secondary Indicators (2 or more required)
Primary Indicators (any one indicator is sufficient)	
<input type="checkbox"/> Surface Water (A1)	<input checked="" type="checkbox"/> Water-stained (B9) (MLRA 1,2,4A, and 4B)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Dry-season Water Table (C2)
<input type="checkbox"/> Water marks (B1)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Frost-heave Hummocks (D7)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> FAC-neutral (D5)
<input type="checkbox"/> Surface Soil Cracks (B6)	
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	
<input type="checkbox"/> Water-stained Leaves (B9) (except MLRA 1, 2, 4A and 4B)	
<input type="checkbox"/> Salt Crust (B11)	
<input type="checkbox"/> Aquatic Invertebrates (B13)	
<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	
<input checked="" type="checkbox"/> Oxidized Rhizospheres along living roots (C3)	
<input type="checkbox"/> Presence of Reduced Iron (C4)	
<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	
<input type="checkbox"/> Stunted or Stresses Plants (D1) (LRR A)	
<input type="checkbox"/> Other (Explain in Remarks)	
Field Observations:	Wetland Hydrology Present?
Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches):	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches):	
Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): (include capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks: Soils were dry during the site visit, but oxidized rhizospheres and water-stained leaves were observed.	

WETLAND DETERMINATION DATA FORM – Western Mountain, Valley Coast Region

Project Site: Viewcrest	City/County: Bellingham	Sample Date: 08/31/21
Applicant/Owner: Jones	State: WA	Sample Point: 100
Investigator: Van Slyke	Section/Township/Range: 13/37N/02E	
Landform (hillslope, terrace, etc): slope	Local Relief (concave, convex, none):	Subregion: LRR A
Soil Map Unit Name: Nati Loam	NWI Classification: none	
Are climatic/hydrologic conditions on the site typical of this time of year? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> (if no, explain in Remarks)		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed? Are "Normal Circumstances" present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic? (If needed, explain any answers in Remarks.)		

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Remarks: Wetland D. Positive indicators for all three parameters were observed at this location.	

VEGETATION

Tree Stratum (Plot size: 30 feet)	Absolute % Cover	Indicator Status	Dominant Species?	Dominance Test worksheet	
		-	<input checked="" type="checkbox"/>	Number of Dominant Species that are OBL, FACW, or FAC:	2
		-	<input type="checkbox"/>		(A)
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>	Total number of dominant species across all strata:	2
Total Cover:	0				(AB)
Sapling/Shrub Stratum (Plot size: 15 feet)				Percent of dominant species that or OBL, FACW, FAC:	100
		-	<input type="checkbox"/>		(A/AB)
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
Total Cover:	0				
Herb Stratum (Plot size: 5 feet)				Prevalence Index worksheet	
<i>Equisetum telmateia</i>	30	FACW	<input checked="" type="checkbox"/>	OBL species: x 1=	
<i>Lysichiton americanus</i>	25	OBL	<input checked="" type="checkbox"/>	FACW species: x 2=	
<i>Oenanthe sarmentosa</i>	10	OBL	<input type="checkbox"/>	FAC species: x 3=	
		-	<input type="checkbox"/>	FACU species: x 4=	
		-	<input type="checkbox"/>	UPL species: x 5=	
		-	<input type="checkbox"/>	Total: (A)	(B)
Total Cover:	65			Prevalence Index = B/A =	
Woody Vine Stratum (Plot size: 30 feet)				Hydrophytic Vegetation Indicators:	
		-	<input type="checkbox"/>	<input checked="" type="checkbox"/> Dominance Test is > 50%	
		-	<input type="checkbox"/>	<input type="checkbox"/> Prevalence Index is ≤3.0 ¹	
		-	<input type="checkbox"/>	<input type="checkbox"/> Morphological Adaptations ¹ (provide supporting data in Remarks or on a separate sheet)	
		-	<input type="checkbox"/>	<input type="checkbox"/> Wetland Non-Vascular Plants ¹	
		-	<input type="checkbox"/>	<input type="checkbox"/> Problematic Hydrophytic Vegetation ¹	
Total Cover:	0			¹ Indicators of hydric soil and wetland hydrology must be present.	
% Bare Ground in Herb Stratum: 35					
Remarks: The majority of dominant species observed at this location were hydrophytic.				Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>

SOIL

Sample Point: 100

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Soil Color		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-7	10YR 2/1	100			-	-	Gravelly Sandy Loam	
7-16	Gley 1 4/10GY	85	10YR 3/4	15	C	M	Loamy Clay	
					-	-		
					-	-		
					-	-		
					-	-		
					-	-		

¹Type: C=concentration D=depletion RM=reduced matrix ²Location: PL=pore lining RC=root channel M=matrix

Hydric Soil Indicators: (applicable to all LRRs unless otherwise noted)	Indicators for Problematic Hydric Soils³:
<input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input checked="" type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Stripped Matrix (S6) <input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1) <input type="checkbox"/> Loamy Gleyed Matrix (F2) <input checked="" type="checkbox"/> Depleted Matrix (F3) <input type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input type="checkbox"/> Redox Depressions (F8)
	<input type="checkbox"/> 2 cm Muck (A10) <input type="checkbox"/> Red parent material (TF2) <input type="checkbox"/> Very shallow dark surface (TF12) <input type="checkbox"/> Other (Explain in Remarks)
³ Indicators of hydrophytic vegetation and wetland hydrology must be present.	
Restrictive Layer (if present): Type: loamy clay Depth (inches): 7	Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: Soil at this location met NRCS hydric soil indicators A11 and F3.	

HYDROLOGY

Wetland hydrology Indicators: Primary Indicators (any one indicator is sufficient)	Secondary Indicators (2 or more required)
<input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input checked="" type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water marks (B1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) <input type="checkbox"/> Water-stained Leaves (B9) (except MLRA 1, 2, 4A and 4B) <input type="checkbox"/> Salt Crust (B11) <input type="checkbox"/> Aquatic Invertebrates (B13) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Oxidized Rhizospheres along living roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Stunted or Stresses Plants (D1) (LRR A) <input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Water-stained (B9) (MLRA 1, 2, 4A, and 4B) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Dry-season Water Table (C2) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Frost-heave Hummocks (D7) <input type="checkbox"/> FAC-neutral (D5)	
Field Observations: Surface Water Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): 0-7 Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): (include capillary fringe)	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks: Indicators of wetland hydrology were observed at this location.	

WETLAND DETERMINATION DATA FORM – Western Mountain, Valley Coast Region

Project Site: Viewcrest City/County: Bellingham Sample Date: 06/26/20
 Applicant/Owner: Jones State: WA Sample Point: 101
 Investigator: Van Slyke; Whitehurst Section/Township/Range: 13/37N/02E
 Landform (hillslope, terrace, etc): slope Local Relief (concave, convex, none) : Subregion: LRR A
 Soil Map Unit Name: Nati Loam NWI Classification: none
 Are climatic/hydrologic conditions on the site typical of this time of year? Yes No (if no, explain in Remarks)
 Are Vegetation , Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hydric Soil Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Remarks: Upland adjacent to Wetland D. Positive indicators for all three parameters were not observed at this location.	

VEGETATION

Tree Stratum (Plot size: 30 feet)	Absolute % Cover	Indicator Status	Dominant Species?	Dominance Test worksheet	
<i>Pseudotsuga menziesii</i>	95	FACU	<input checked="" type="checkbox"/>	Number of Dominant Species that are OBL, FACW, or FAC:	0
		-	<input type="checkbox"/>		(A)
		-	<input type="checkbox"/>		4
Total Cover:	95			Total number of dominant species across all strata:	(AB)
Sapling/Shrub Stratum (Plot size: 15 feet)				Percent of dominant species that are OBL, FACW, FAC:	0
<i>Rosa gymnocarpa</i>	15	FACU	<input checked="" type="checkbox"/>		(A/AB)
<i>Symphoricarpos albus</i>	5	FACU	<input checked="" type="checkbox"/>		
		-	<input type="checkbox"/>		
		-	<input type="checkbox"/>		
Total Cover:	20				
Herb Stratum (Plot size: 5 feet)					
<i>Gaultheria shallon</i>	95	FACU	<input checked="" type="checkbox"/>	Prevalence Index worksheet	
<i>Rubus ursinus</i>	5	FACU	<input type="checkbox"/>	OBL species: x 1=	
<i>Pteridium aquilinum</i>	5	FACU	<input type="checkbox"/>	FACW species: x 2=	
		-	<input type="checkbox"/>	FAC species: x 3=	
		-	<input type="checkbox"/>	FACU species: x 4=	
Total Cover:	105			UPL species: x 5=	
		-	<input type="checkbox"/>	Total: (A) (B)	
		-	<input type="checkbox"/>	Prevalence Index = B/A =	
		-	<input type="checkbox"/>	Hydrophytic Vegetation Indicators:	
		-	<input type="checkbox"/>	<input type="checkbox"/> Dominance Test is > 50%	
		-	<input type="checkbox"/>	<input type="checkbox"/> Prevalence Index is ≤3.0 ¹	
		-	<input type="checkbox"/>	<input type="checkbox"/> Morphological Adaptations ¹ (provide supporting data in Remarks or on a separate sheet)	
Total Cover:	0			<input type="checkbox"/> Wetland Non-Vascular Plants ¹	
		-	<input type="checkbox"/>	<input type="checkbox"/> Problematic Hydrophytic Vegetation ¹	
% Bare Ground in Herb Stratum: 0				¹ Indicators of hydric soil and wetland hydrology must be present.	
Remarks: The dominant species observed at this location were not hydrophytic.				Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	

SOIL

Sample Point: 101

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Soil Color		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-3	7.5YR 2.5/2	100			-	-	Sandy Loam	
3-16	10YR 4/3	100			-	-	Silt Loam	
					-	-		
					-	-		
					-	-		
					-	-		
					-	-		

¹Type: C=concentration D=depletion RM=reduced matrix ²Location: PL=pore lining RC=root channel M=matrix

Hydric Soil Indicators: (applicable to all LRRs unless otherwise noted)		Indicators for Problematic Hydric Soils³:
<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> 2 cm Muck (A10)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)	<input type="checkbox"/> Red parent material (TF2)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1)	<input type="checkbox"/> Very shallow dark surface (TF12)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)	
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)	
Restrictive Layer (if present):		Hydric Soil Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Type:		
Depth (inches):		
Remarks: Soil at this location did not meet NRCS hydric soil indicators.		

HYDROLOGY

Wetland hydrology Indicators:	Secondary Indicators (2 or more required)
Primary Indicators (any one indicator is sufficient)	
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-stained Leaves (B9) (except MLRA 1, 2, 4A and 4B)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water marks (B1)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Oxidized Rhizospheres along living roots (C3)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Stunted or Stresses Plants (D1) (LRR A)
	<input type="checkbox"/> Other (Explain in Remarks)
Field Observations:	Wetland Hydrology Present?
Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches):	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches):	
Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): (include capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks: Indicators of hydrology were not observed at this location.	

WETLAND DETERMINATION DATA FORM – Western Mountain, Valley Coast Region

Project Site: Viewcrest City/County: Bellingham Sample Date: 06/26/20
 Applicant/Owner: Jones State: WA Sample Point: 102
 Investigator: Van Slyke; Whitehurst Section/Township/Range: 13/37N/02E
 Landform (hillslope, terrace, etc): slope Local Relief (concave, convex, none): Subregion: LRR A
 Soil Map Unit Name: Nati Loam NWL Classification: none
 Are climatic/hydrologic conditions on the site typical of this time of year? Yes No (if no, explain in Remarks)
 Are Vegetation , Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hydric Soil Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Remarks: Seep. Positive indicators for hydric soil were not observed at this location and therefore do not meet wetland criteria.	

VEGETATION

Tree Stratum (Plot size: 30 feet)	Absolute % Cover	Indicator Status	Dominant Species?	Dominance Test worksheet	
		-	<input type="checkbox"/>	Number of Dominant Species that are OBL, FACW, or FAC:	4
		-	<input type="checkbox"/>		(A)
		-	<input type="checkbox"/>		6
Total Cover:	0			Total number of dominant species across all strata:	(AB)
Sapling/Shrub Stratum (Plot size: 15 feet)				Percent of dominant species that are OBL, FACW, FAC:	66
<i>Lonicera involucrata</i>	25	FAC	<input checked="" type="checkbox"/>		(A/AB)
<i>Corylus cornuta</i>	20	FACU	<input checked="" type="checkbox"/>		
<i>Salix scouleriana</i>	20	FAC	<input checked="" type="checkbox"/>		
<i>Symphoricarpos albus</i>	15	FACU	<input type="checkbox"/>		
Total Cover:	80				
Herb Stratum (Plot size: 5 feet)				Prevalence Index = B/A =	
<i>Athyrium filix-femina</i>	30	FAC	<input checked="" type="checkbox"/>	UPL species:	x 5=
<i>Gaultheria shallon</i>	15	FACU	<input checked="" type="checkbox"/>	Total:	(A) (B)
<i>Geum macrophyllum</i>	5	FAC	<input type="checkbox"/>		
<i>Geranium robertianum</i>	5	FACU	<input type="checkbox"/>		
Total Cover:	55				
Woody Vine Stratum (Plot size: 30 feet)				Hydrophytic Vegetation Indicators:	
<i>Rubus armeniacus</i>	15	FAC	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Dominance Test is > 50%	
		-	<input type="checkbox"/>	<input type="checkbox"/> Prevalence Index is ≤3.0 ¹	
		-	<input type="checkbox"/>	<input type="checkbox"/> Morphological Adaptations ¹ (provide supporting data in Remarks or on a separate sheet)	
Total Cover:	15			<input type="checkbox"/> Wetland Non-Vascular Plants ¹	
		-	<input type="checkbox"/>	<input type="checkbox"/> Problematic Hydrophytic Vegetation ¹	
% Bare Ground in Herb Stratum: 45				¹ Indicators of hydric soil and wetland hydrology must be present.	
Remarks: The majority of dominant species observed at this location were hydrophytic.				Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

SOIL

Sample Point: 102

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Soil Color		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-16	10YR 3/2	100			-	-	Silt Loam	Cobble
16-20	10YR 4/2	40	10YR 4/4	10	C	M	Sandy Silt Loam	
	10YR 3/2	50			-	-	Silt Loam	
					-	-		
					-	-		
					-	-		
					-	-		
					-	-		

¹Type: C=concentration D=depletion RM=reduced matrix ²Location: PL=pore lining RC=root channel M=matrix

Hydric Soil Indicators: (applicable to all LRRs unless otherwise noted)		Indicators for Problematic Hydric Soils³:
<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> 2 cm Muck (A10)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)	<input type="checkbox"/> Red parent material (TF2)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1)	<input type="checkbox"/> Very shallow dark surface (TF12)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)	
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)	
Restrictive Layer (if present):		Hydric Soil Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Type:		
Depth (inches):		
Remarks: Soil at this location did not meet NRCS hydric soil indicators.		

HYDROLOGY

Wetland hydrology Indicators:	Secondary Indicators (2 or more required)
Primary Indicators (any one indicator is sufficient)	
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-stained Leaves (B9) (except MLRA 1, 2, 4A and 4B)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water marks (B1)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Oxidized Rhizospheres along living roots (C3)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Stunted or Stresses Plants (D1) (LRR A)
	<input type="checkbox"/> Other (Explain in Remarks)
Field Observations:	Wetland Hydrology Present?
Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches):	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches):	
Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): (include capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks: Soils were dry during the August 2021 site visit but were saturated during the June 2020 visit.	

Wetland name or number Wetland A

RATING SUMMARY – Western Washington

Name of wetland (or ID #): Viewcrest Wetland A Date of site visit: 6/26/20
 Rated by C. Van Slyke Trained by Ecology? Yes No Date of training 2014

HGM Class used for rating Slope Wetland has multiple HGM classes? Yes No

NOTE: Form is not complete without the figures requested (figures can be combined).

Source of base aerial photo/map Whatcom County 2017

OVERALL WETLAND CATEGORY IV (based on functions or special characteristics)

1. Category of wetland based on FUNCTIONS

Category I – Total score = 23 - 27

Category II – Total score = 20 - 22

Category III – Total score = 16 - 19

Category IV – Total score = 9 - 15

FUNCTION	Improving Water Quality	Hydrologic	Habitat
Site Potential	HO M O L ⊕	HO M ⊙ LO	HO MO L ⊙
Landscape Potential	HO M ⊙ LO	HO M ⊙ LO	HO MO L ⊙
Value	HO M O L ⊕	HO MO L ⊙	HO MO L ⊙
Score Based on Ratings	4	5	5
TOTAL			14

Score for each function based on three ratings (order of ratings is not important)

- 9 = H,H,H
- 8 = H,H,M
- 7 = H,H,L
- 6 = H,M,M
- 5 = H,L,L
- 4 = M,M,L
- 3 = L,L,L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY
Estuarine	I II
Wetland of High Conservation Value	I
Bog	I
Mature Forest	I
Old Growth Forest	I
Coastal Lagoon	I II III IV
Interdunal	I II III IV
None of the above	<input checked="" type="checkbox"/>

Wetland Rating System for Western WA: 2014 Update
 Rating Form – Effective January 1, 2015

Wetland name or number Wetland A

Maps and figures required to answer questions correctly for Western Washington

Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	A
Hydroperiods	H 1.2	B
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	A
Plant cover of dense, rigid trees, shrubs, and herbaceous plants (can be added to figure above)	S 4.1	A
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	B
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	C
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	D
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	D

Wetland Rating System for Western WA: 2014 Update
 Rating Form – Effective January 1, 2015

Wetland name or number Wetland A

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides except during floods?
 NO - go to 2
 YES - the wetland class is **Tidal Fringe** - go to 1.1

NO - Saltwater Tidal Fringe (Estuarine)
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is an Estuarine wetland and is not scored. This method cannot be used to score functions for estuarine wetlands.

2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

NO - go to 3
 YES - The wetland class is **Flats**
If your wetland can be classified as a Flats wetland, use the form for Depressional wetlands.

3. Does the entire wetland unit **meet all** of the following criteria?
 ___ The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size;
 ___ At least 30% of the open water area is deeper than 6.6 ft (2 m).

NO - go to 4
 YES - The wetland class is **Lake Fringe** (Lacustrine Fringe)

4. Does the entire wetland unit **meet all** of the following criteria?
 X The wetland is on a slope (*slope can be very gradual*).
 X The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 X The water leaves the wetland **without being impounded**.

NO - go to 5
 YES - The wetland class is **Slope**
NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

5. Does the entire wetland unit **meet all** of the following criteria?
 ___ The unit is in a valley, or stream channel, where it gets inundated by over-bank flooding from that stream or river,
 ___ The overbank flooding occurs at least once every 2 years.

Wetland name or number Wetland A

NO - go to 6

NOTE: The Riverine unit can contain depressions that are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? *This means that any outlet, if present, is higher than the interior of the wetland.*

NO - go to 7

YES - The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO - go to 8

YES - The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream within boundary of depression	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as Depressional for the rating.

Wetland name or number: Wetland A

SLOPE WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water quality	
S 1.0. Does the site have the potential to improve water quality?	0
S 1.1. Characteristics of the average slope of the wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft of horizontal distance) Slope is 1% or less Slope is > 1%-2% Slope is > 2%-5% Slope is greater than 5%	points = 3 points = 2 points = 1 points = 0
S 1.2. The soil 2 in. below the surface (or duff layer) is true clay or true organic (use NRCS definitions): Yes = 3 No = 0	0
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants: Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in. Dense, uncut, herbaceous plants > 90% of the wetland area Dense, uncut, herbaceous plants > 1/2 of area Dense, woody, plants > 1/2 of area Dense, uncut, herbaceous plants > 1/4 of area Does not meet any of the criteria above for plants	points = 6 points = 3 points = 2 points = 1 points = 0
Total for S 1	3
Rating of Site Potential If score is: <u>12</u> = H <u>6-11</u> = M <u>0-5</u> = L	

S 2.0. Does the landscape have the potential to support the water quality function of the site?		
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?	Yes = 1	No = 0
S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?	Yes = 1	No = 0
Other sources: _____		
Total for S 2	1	
Rating of Landscape Potential If score is: <u>1-2</u> = M <u>0</u> = L		

S 3.0. Is the water quality improvement provided by the site valuable to society?		
S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list?	Yes = 1	No = 0
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the basin is on the 303(d) list.	Yes = 1	No = 0
S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? Answer YES if there is a TMDL for the basin in which unit is found.	Yes = 2	No = 0
Total for S 3	0	
Rating of Value If score is: <u>2-4</u> = H <u>1</u> = M <u>0</u> = L		

Record the rating on the first page

Wetland name or number: Wetland A

SLOPE WETLANDS	
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream erosion	
S 4.0. Does the site have the potential to reduce flooding and stream erosion?	1
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Choose the points appropriate for the description that best fits conditions in the wetland. Stems of plants should be thick enough (usually > 1/8 in), or dense enough, to remain erect during surface flows. Dense, uncut, rigid plants cover > 90% of the area of the wetland All other conditions	points = 1 points = 0
Rating of Site Potential If score is: <u>1</u> = M <u>0</u> = L	

Record the rating on the first page

S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses or cover that generate excess surface runoff?	Yes = 1	No = 0
Rating of Landscape Potential If score is: <u>1</u> = M <u>0</u> = L		

S 6.0. Are the hydrologic functions provided by the site valuable to society?		
S 6.1. Distance to the nearest areas downstream that have flooding problems: The sub-basin immediately down-gradient of site has flooding problems that result in damage to human or natural resources (e.g., houses or salmon redds) Surface flooding problems are in a sub-basin farther down-gradient No flooding problems anywhere downstream	points = 2	points = 1
S 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?	Yes = 2	No = 0
Total for S 6	0	
Rating of Value If score is: <u>2-4</u> = H <u>1</u> = M <u>0</u> = L		

Record the rating on the first page

NOTES and FIELD OBSERVATIONS:

Wetland name or number: Wetland A

<p style="text-align: center;">These questions apply to wetlands of all HGM classes.</p> <p>HABITAT FUNCTIONS - Indicators that site functions to provide important habitat</p>	
<p>H 1.0. Does the site have the potential to provide habitat?</p> <p>H 1.1. Structure of plant community. Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of % ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked.</p> <p>___ Aquatic bed</p> <p>___ Emergent</p> <p>___ Scrub-shrub (areas where shrubs have > 30% cover)</p> <p>___ Forested (areas where trees have > 30% cover)</p> <p>___ If the unit has a Forested class, check if:</p> <p>___ The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon</p>	<p>1</p> <p>3 structures or more: points = 4 2 structures: points = 2 1 structure: points = 0</p>
<p>H 1.2. Hydroperiods</p> <p>Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or % ac to count (see text for descriptions of hydroperiods).</p> <p>___ Permanently flooded or inundated</p> <p>___ Seasonally flooded or inundated</p> <p>___ Occasionally flooded or inundated</p> <p>___ Saturated only</p> <p>___ Permanently flowing stream or river in, or adjacent to, the wetland</p> <p>___ Seasonally flowing stream in, or adjacent to, the wetland</p> <p>___ Lake Fringe wetland</p> <p>___ Freshwater tidal wetland</p>	<p>1</p> <p>4 or more types present: points = 3 3 types present: points = 2 2 types present: points = 1 1 type present: points = 0</p> <p>2 points 2 points</p>
<p>H 1.3. Richness of plant species</p> <p>Count the number of plant species in the wetland that cover at least 10 ft.². Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p>If you counted: > 19 species</p> <p>5 - 19 species</p> <p>< 5 species</p>	<p>1</p> <p>points = 2 points = 1 points = 0</p>
<p>H 1.4. Interspersion of habitats</p> <p>Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high.</p>	<p>0</p> <p>None = 0 points</p> <p>Low = 1 point</p> <p>Moderate = 2 points</p> <p>High = 3 points</p>

Wetland name or number: Wetland A

<p>H 1.5. Special habitat features:</p> <p>Check the habitat features that are present in the wetland. The number of checks is the number of points.</p> <p>___ Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).</p> <p>___ Standing snags (dbh > 4 in) within the wetland</p> <p>___ Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m) over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)</p> <p>___ Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered where wood is exposed)</p> <p>___ At least 1/4 ac of thin-stemmed persistent plants or woody branches are present in areas that are permanently or seasonally inundated (structures for egg-laying by amphibians)</p> <p>___ Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of strata)</p>	<p>2</p>
<p>Total for H 1</p> <p>Add the points in the boxes above</p>	<p>5</p>
<p>Rating of Site Potential If score is: 15-18 = H 7-14 = M X 0-6 = L Record the rating on the first page</p>	
<p>H 2.0. Does the landscape have the potential to support the habitat functions of the site?</p> <p>H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).</p> <p>Calculate: % undisturbed habitat₁₆ + [(% moderate and low intensity land uses)/2] 0 = ____ 16 ____ %</p> <p>If total accessible habitat is:</p> <p>> 1/3 (33.3%) of 1 km Polygon points = 3</p> <p>20-33% of 1 km Polygon points = 2</p> <p>10-19% of 1 km Polygon points = 1</p> <p>< 10% of 1 km Polygon points = 0</p> <p>H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.</p> <p>Calculate: % undisturbed habitat₄₆ + [(% moderate and low intensity land uses)/2] 1 = ____ 47 ____ %</p> <p>Undisturbed habitat > 50% of Polygon points = 3</p> <p>Undisturbed habitat 10-50% and in 1-3 patches points = 2</p> <p>Undisturbed habitat 10-50% and > 3 patches points = 1</p> <p>Undisturbed habitat < 10% of 1 km Polygon points = 0</p> <p>H 2.3. Land use intensity in 1 km Polygon: If</p> <p>> 50% of 1 km Polygon is high intensity land use points = (- 2)</p> <p>≤ 50% of 1 km Polygon is high intensity points = 0</p>	<p>1</p> <p>-2</p> <p>0</p>
<p>Total for H 2</p> <p>Add the points in the boxes above</p>	<p>0</p>
<p>Rating of Landscape Potential If score is: 4-6 = H 1-3 = M X < 1 = L Record the rating on the first page</p>	
<p>H 3.0. Is the habitat provided by the site valuable to society?</p> <p>H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score that applies to the wetland being rated.</p> <p>Site meets ANY of the following criteria:</p> <p>___ It has 3 or more priority habitats within 100 m (see next page)</p> <p>___ It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists)</p> <p>___ It is mapped as a location for an individual WDFW priority species</p> <p>___ It is a Wetland of High Conservation Value as determined by the Department of Natural Resources</p> <p>___ It has been categorized as an important habitat site in a local or regional comprehensive plan, in a Shoreline Master Plan, or in a watershed plan</p> <p>___ Site has 1 or 2 priority habitats (listed on next page) within 100 m</p>	<p>2</p> <p>points = 1</p> <p>points = 0</p>
<p>Site does not meet any of the criteria above</p> <p>Rating of Value If score is: X 2 = H 1 = M 0 = L Record the rating on the first page</p>	<p>0</p>

Wetland name or number: Wetland A

WDFW Priority Habitats

Priority habitats listed by WDFW (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife, 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <http://wdfw.wa.gov/publications/00165/wdfw00165.pdf> or access the list from here: <http://wdfw.wa.gov/conservation/phs/list/>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: **NOTE:** *This question is independent of the land use between the wetland unit and the priority habitat.*

- **Aspen Stands:** Pure or mixed stands of aspen, greater than 1 ac (0.4 ha).
- ✗ **Biodiversity Areas and Corridors:** Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- **Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- **Old-growth/Mature forests:** Old-growth west of Cascade crest – Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests – Stands with average diameters exceeding 2.1 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/cedar associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 159 – see web link above*).
- **Riparian:** The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 – see web link above*).
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- ✗ **Nearshore:** Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page*).
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 - 6.5 ft (0.15 - 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- ✗ **Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

Note: All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

Wetland name or number Wetland B

RATING SUMMARY – Western Washington

Name of wetland (or ID #): Viewcrest Wetland B Date of site visit: 6/26/20
 Rated by C. Van Slyke Trained by Ecology? Yes No Date of training 2014

HGM Class used for rating Slope Wetland has multiple HGM classes? Y N

NOTE: Form is not complete without the figures requested (figures can be combined).

Source of base aerial photo/map Whatcom County 2017

OVERALL WETLAND CATEGORY IV (based on functions or special characteristics)

1. Category of wetland based on FUNCTIONS

Category I – Total score = 23 - 27

Category II – Total score = 20 - 22

Category III – Total score = 16 - 19

Category IV – Total score = 9 - 15

FUNCTION	Improving Water Quality	Hydrologic	Habitat
Site Potential	HO M O L ⊕	HO MO L ⊕	HO MO L ⊕
Landscape Potential	HO M ⊕ LO	HO MO L ⊕	HO MO L ⊕
Value	HO M O L ⊕	HO MO L ⊕	HO MO L ⊕
Score Based on Ratings	4	3	5
TOTAL			12

Score for each function based on three ratings (order of ratings is not important)

- 9 = H,H,H
- 8 = H,H,M
- 7 = H,H,L
- 6 = H,M,M
- 5 = H,L,L
- 4 = M,M,L
- 3 = L,L,L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY
Estuarine	I II
Wetland of High Conservation Value	I
Bog	I
Mature Forest	I
Old Growth Forest	I
Coastal Lagoon	I II III IV
Interdunal	I II III IV
None of the above	<input checked="" type="checkbox"/>

Wetland Rating System for Western WA: 2014 Update
 Rating Form – Effective January 1, 2015

Wetland name or number Wetland B

Maps and figures required to answer questions correctly for Western Washington

Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	A
Hydroperiods	H 1.2	B
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	A
Plant cover of dense, rigid trees, shrubs, and herbaceous plants (can be added to figure above)	S 4.1	A
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	B
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	C
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	D
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	D

Wetland Rating System for Western WA: 2014 Update
 Rating Form – Effective January 1, 2015

Wetland name or number Wetland B

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides except during floods?

NO - go to 2 YES - the wetland class is **Tidal Fringe** - go to 1.1

1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

NO - Saltwater Tidal Fringe (Estuarine)
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is an Estuarine wetland and is not scored. This method cannot be used to score functions for estuarine wetlands.

2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

NO - go to 3 YES - The wetland class is **Flats**
If your wetland can be classified as a Flats wetland, use the form for Depressional wetlands.

3. Does the entire wetland unit meet all of the following criteria?

- The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size;
- At least 30% of the open water area is deeper than 6.6 ft (2 m).

NO - go to 4 YES - The wetland class is **Lake Fringe** (Lacustrine Fringe)

4. Does the entire wetland unit meet all of the following criteria?

- The wetland is on a slope (slope can be very gradual).
- The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks,
- The water leaves the wetland without being impounded.

NO - go to 5 YES - The wetland class is **Slope**

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

5. Does the entire wetland unit meet all of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by over-bank flooding from that stream or river,
- The overbank flooding occurs at least once every 2 years.

Wetland name or number Wetland B

NO - go to 6

NOTE: The Riverine unit can contain depressions that are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? *This means that any outlet, if present, is higher than the interior of the wetland.*

NO - go to 7

YES - The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO - go to 8

YES - The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream within boundary of depression	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as Depressional for the rating.

Wetland name or number: Wetland B

SLOPE WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water quality	
S 1.0. Does the site have the potential to improve water quality?	0
S 1.1. Characteristics of the average slope of the wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft of horizontal distance) Slope is 1% or less Slope is > 1%-2% Slope is > 2%-5% Slope is greater than 5%	0
S 1.2. The soil 2 in. below the surface (or duff layer) is true clay or true organic (use NRCS definitions): Yes = 3 No = 0	0
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants: Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in. Dense, uncut, herbaceous plants > 90% of the wetland area Dense, uncut, herbaceous plants > 1/2 of area Dense, woody, plants > 1/2 of area Dense, uncut, herbaceous plants > 1/4 of area Does not meet any of the criteria above for plants	2
Total for S 1	2
Rating of Site Potential If score is: <u>12 = H</u> <u>6-11 = M</u> <u>X 0-5 = L</u> Record the rating on the first page	
S 2.0. Does the landscape have the potential to support the water quality function of the site?	0
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants? Yes = 1 No = 0	0
S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1? Other sources: _____ upslope lawns and gardens	1
Total for S 2	1
Rating of Landscape Potential If score is: <u>X 1-2 = M</u> <u>0 = L</u> Record the rating on the first page	
S 3.0. Is the water quality improvement provided by the site valuable to society?	0
S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? Yes = 1 No = 0	0
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the basin is on the 303(d) list. Yes = 1 No = 0	0
S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? Answer YES if there is a TMDL for the basin in which unit is found. Yes = 2 No = 0	0
Total for S 3	0
Rating of Value If score is: <u>2-4 = H</u> <u>1 = M</u> <u>X 0 = L</u> Record the rating on the first page	

Wetland name or number: Wetland B

SLOPE WETLANDS	
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream erosion	
S 4.0. Does the site have the potential to reduce flooding and stream erosion?	0
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Choose the points appropriate for the description that best fits conditions in the wetland. Stems of plants should be thick enough (usually > 1/8 in), or dense enough, to remain erect during surface flows. Dense, uncut, rigid plants cover > 90% of the area of the wetland All other conditions	0
Rating of Site Potential If score is: <u>1 = M</u> <u>X 0 = L</u> Record the rating on the first page	
S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?	1
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses or cover that generate excess surface runoff? Yes = 1 No = 0	1
Rating of Landscape Potential If score is: <u>1 = M</u> <u>X 0 = L</u> Record the rating on the first page	
S 6.0. Are the hydrologic functions provided by the site valuable to society?	0
S 6.1. Distance to the nearest areas downstream that have flooding problems: The sub-basin immediately down-gradient of site has flooding problems that result in damage to human or natural resources (e.g., houses or salmon redds) Surface flooding problems are in a sub-basin farther down-gradient No flooding problems anywhere downstream	0
S 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for S 6	0
Rating of Value If score is: <u>2-4 = H</u> <u>1 = M</u> <u>X 0 = L</u> Record the rating on the first page	

NOTES and FIELD OBSERVATIONS:

Wetland name or number: Wetland B

<p style="text-align: center;">These questions apply to wetlands of all HGM classes.</p> <p>HABITAT FUNCTIONS - Indicators that site functions to provide important habitat</p>	
H 1.0. Does the site have the potential to provide habitat?	0
H 1.1. Structure of plant community. Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of % ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked.	<p>_____ Aquatic bed</p> <p>_____ Emergent</p> <p>_____ Scrub-shrub (areas where shrubs have > 30% cover)</p> <p>_____ Forested (areas where trees have > 30% cover)</p> <p>_____ If the unit has a Forested class, check if:</p> <p>_____ The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon</p>
H 1.2. Hydroperiods	0
Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or % ac to count (see text for descriptions of hydroperiods).	<p>_____ Permanently flooded or inundated</p> <p>_____ Seasonally flooded or inundated</p> <p>_____ Occasionally flooded or inundated</p> <p>_____ Saturated only</p> <p>_____ Permanently flowing stream or river in, or adjacent to, the wetland</p> <p>_____ Seasonally flowing stream in, or adjacent to, the wetland</p> <p>_____ Lake Fringe wetland</p> <p>_____ Freshwater tidal wetland</p>
H 1.3. Richness of plant species	1
Count the number of plant species in the wetland that cover at least 10 ft. ² . Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle	<p>If you counted: > 19 species</p> <p>5 - 19 species</p> <p>< 5 species</p>
H 1.4. Interspersion of habitats	0
Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high.	<p>None = 0 points</p> <p>Low = 1 point</p> <p>Moderate = 2 points</p> <p>High = 3 points</p>

Wetland name or number: Wetland B

H 1.5. Special habitat features:	2
Check the habitat features that are present in the wetland. The number of checks is the number of points.	<p>_____ Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).</p> <p>_____ Standing snags (dbh > 4 in) within the wetland</p> <p>_____ Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m) over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)</p> <p>_____ Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered where wood is exposed)</p> <p>_____ At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are permanently or seasonally inundated (structures for egg-laying by amphibians)</p> <p>_____ Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of strata)</p>
Total for H 1	3
<p>Record the rating on the first page</p> <p>Rating of Site Potential If score is: 15-18 = H 7-14 = M <input checked="" type="checkbox"/> 0-6 = L</p>	
H 2.0. Does the landscape have the potential to support the habitat functions of the site?	1
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).	<p>Calculate: % undisturbed habitat₁₆ + [(% moderate and low intensity land uses)/2] 0 = 16 %</p> <p>If total accessible habitat is:</p> <p>> 1/3 (33.3%) of 1 km Polygon</p> <p>20-33% of 1 km Polygon</p> <p>10-19% of 1 km Polygon</p> <p>< 10% of 1 km Polygon</p>
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.	1
Calculate: % undisturbed habitat ₄₆ + [(% moderate and low intensity land uses)/2] 0 = 47 %	<p>Undisturbed habitat > 50% of Polygon</p> <p>Undisturbed habitat 10-50% and in 1-3 patches</p> <p>Undisturbed habitat 10-50% and > 3 patches</p> <p>Undisturbed habitat < 10% of 1 km Polygon</p>
H 2.3. Land use intensity in 1 km Polygon: If	-2
> 50% of 1 km Polygon is high intensity land use	points = (-2)
≤ 50% of 1 km Polygon is high intensity	points = 0
Total for H 2	0
<p>Record the rating on the first page</p> <p>Rating of Landscape Potential If score is: 4-6 = H 1-3 = M <input checked="" type="checkbox"/> < 1 = L</p>	
H 3.0. Is the habitat provided by the site valuable to society?	2
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score that applies to the wetland being rated.	<p>Site meets ANY of the following criteria:</p> <p><input checked="" type="checkbox"/> It has 3 or more priority habitats within 100 m (see next page)</p> <p>_____ It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists)</p> <p>_____ It is mapped as a location for an individual WDFW priority species</p> <p><input checked="" type="checkbox"/> It is a Wetland of High Conservation Value as determined by the Department of Natural Resources</p> <p>_____ It has been categorized as an important habitat site in a local or regional comprehensive plan, in a Shoreline Master Plan, or in a watershed plan</p> <p>_____ Site has 1 or 2 priority habitats (listed on next page) within 100 m</p>
Site does not meet any of the criteria above	points = 0
Total for H 3	0
<p>Record the rating on the first page</p> <p>Rating of Value If score is: <input checked="" type="checkbox"/> 2 = H 1 = M 0 = L</p>	

Wetland name or number: Wetland B

WDFW Priority Habitats

Priority habitats listed by WDFW (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife, 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <http://wdfw.wa.gov/publications/00165/wdfw00165.pdf> or access the list from here: <http://wdfw.wa.gov/conservation/phs/list/>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: **NOTE:** *This question is independent of the land use between the wetland unit and the priority habitat.*

- **Aspen Stands:** Pure or mixed stands of aspen, greater than 1 ac (0.4 ha).
- ✗ **Biodiversity Areas and Corridors:** Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- **Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- **Old-growth/Mature forests:** Old-growth west of Cascade crest – Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests – Stands with average diameters exceeding 2.1 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/cedar associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 159 – see web link above*).
- **Riparian:** The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 – see web link above*).
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- ✗ **Nearshore:** Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page*).
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 - 6.5 ft (0.15 - 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- ✗ **Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

Note: All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

Wetland name or number Wetland C

RATING SUMMARY – Western Washington

Name of wetland (or ID #): Viewcrest Wetland C Date of site visit: 6/26/20
 Rated by C. Van Slyke Trained by Ecology? Yes No Date of training 2014

HGM Class used for rating Slope Wetland has multiple HGM classes? Y N

NOTE: Form is not complete without the figures requested (figures can be combined).

Source of base aerial photo/map Whatcom County 2017

OVERALL WETLAND CATEGORY IV (based on functions or special characteristics)

1. Category of wetland based on FUNCTIONS

Category I – Total score = 23 - 27

Category II – Total score = 20 - 22

Category III – Total score = 16 - 19

Category IV – Total score = 9 - 15

FUNCTION	Improving Water Quality	Hydrologic	Habitat
Site Potential	HO M O L ⊕	HO MO L ⊕	HO MO L ⊕
Landscape Potential	HO M O L ⊕	HO MO L ⊕	HO MO L ⊕
Value	HO M O L ⊕	HO MO L ⊕	HO MO L ⊕
Score Based on Ratings	3	3	5
TOTAL			11

Score for each function based on three ratings (order of ratings is not important)

- 9 = H,H,H
- 8 = H,H,M
- 7 = H,H,L
- 6 = H,M,M
- 5 = H,L,L
- 4 = M,L,L
- 3 = L,L,L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY
Estuarine	I II
Wetland of High Conservation Value	I
Bog	I
Mature Forest	I
Old Growth Forest	I
Coastal Lagoon	I II III IV
Interdunal	I II III IV
None of the above	<input checked="" type="checkbox"/>

Wetland Rating System for Western WA: 2014 Update
 Rating Form – Effective January 1, 2015

Wetland name or number Wetland C

Maps and figures required to answer questions correctly for Western Washington

Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	A
Hydroperiods	H 1.2	B
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	A
Plant cover of dense, rigid trees, shrubs, and herbaceous plants (can be added to figure above)	S 4.1	A
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	B
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	C
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	D
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	D

Wetland Rating System for Western WA: 2014 Update
 Rating Form – Effective January 1, 2015

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

- Are the water levels in the entire unit usually controlled by tides except during floods?

NO – go to 2

YES – the wetland class is **Tidal Fringe** – go to 1.1

1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

NO – Saltwater Tidal Fringe (Estuarine) **YES – Freshwater Tidal Fringe**
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is an Estuarine wetland and is not scored. This method cannot be used to score functions for estuarine wetlands.
- The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

NO – go to 3

YES – The wetland class is **Flats**
If your wetland can be classified as a Flats wetland, use the form for Depressional wetlands.
- Does the entire wetland unit **meet all** of the following criteria?

The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size;

At least 30% of the open water area is deeper than 6.6 ft (2 m).

NO – go to 4

YES – The wetland class is **Lake Fringe** (Lacustrine Fringe)
- Does the entire wetland unit **meet all** of the following criteria?

The wetland is on a slope (*slope can be very gradual*).

The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks,

The water leaves the wetland **without being impounded**.

NO – go to 5

YES – The wetland class is **Slope**

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).
- Does the entire wetland unit **meet all** of the following criteria?

The unit is in a valley, or stream channel, where it gets inundated by over-bank flooding from that stream or river,

The overbank flooding occurs at least once every 2 years.

NO – go to 6

NOTE: The Riverine unit can contain depressions that are filled with water when the river is not flooding

YES – The wetland class is **Riverine**

- Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

NO – go to 7

YES – The wetland class is **Depressional**

- Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

NO – go to 8

YES – The wetland class is **Depressional**

- Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream within boundary of depression	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as Depressional for the rating.

Wetland name or number: Wetland C

SLOPE WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water quality	
S 1.0. Does the site have the potential to improve water quality?	0
S 1.1. Characteristics of the average slope of the wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft of horizontal distance) Slope is 1% or less Slope is > 1%-2% Slope is > 2%-5% Slope is greater than 5%	points = 3 points = 2 points = 1 points = 0
S 1.2. The soil 2 in. below the surface (or duff layer) is true clay or true organic (use NRCS definitions): Yes = 3 No = 0	0
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants: Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in. Dense, uncut, herbaceous plants > 90% of the wetland area Dense, uncut, herbaceous plants > 1/2 of area Dense, woody, plants > 1/2 of area Dense, uncut, herbaceous plants > 1/4 of area Does not meet any of the criteria above for plants	points = 6 points = 3 points = 2 points = 1 points = 0
Total for S 1	0
Rating of Site Potential If score is: <u>12 = H</u> <u>6-11 = M</u> <u>X 0-5 = L</u>	

S 2.0. Does the landscape have the potential to support the water quality function of the site?	0
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants? Yes = 1 No = 0	0
S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1? Other sources: _____ Yes = 1 No = 0	0
Total for S 2	0
Rating of Landscape Potential If score is: <u>1-2 = M</u> <u>X 0 = L</u>	

S 3.0. Is the water quality improvement provided by the site valuable to society?	0
S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? Yes = 1 No = 0	0
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the basin is on the 303(d) list. Yes = 1 No = 0	0
S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? Answer YES if there is a TMDL for the basin in which unit is found. Yes = 2 No = 0	0
Total for S 3	0
Rating of Value If score is: <u>2-4 = H</u> <u>1 = M</u> <u>X 0 = L</u>	

Wetland Rating System for Western WA: 2014 Update
Rating Form - Effective January 1, 2015

11

Wetland name or number: Wetland C

SLOPE WETLANDS	
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream erosion	
S 4.0. Does the site have the potential to reduce flooding and stream erosion?	0
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Choose the points appropriate for the description that best fits conditions in the wetland. Stems of plants should be thick enough (usually > 1/8 in), or dense enough, to remain erect during surface flows. Dense, uncut, rigid plants cover > 90% of the area of the wetland All other conditions	points = 1 points = 0
Rating of Site Potential If score is: <u>1 = M</u> <u>X 0 = L</u>	

S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?	1
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses or cover that generate excess surface runoff? Yes = 1 No = 0	0
Rating of Landscape Potential If score is: <u>1 = M</u> <u>X 0 = L</u>	

S 6.0. Are the hydrologic functions provided by the site valuable to society?	0
S 6.1. Distance to the nearest areas downstream that have flooding problems: The sub-basin immediately down-gradient of site has flooding problems that result in damage to human or natural resources (e.g., houses or salmon redds) Surface flooding problems are in a sub-basin farther down-gradient No flooding problems anywhere downstream	points = 2 points = 1 points = 0
S 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for S 6	0
Rating of Value If score is: <u>2-4 = H</u> <u>1 = M</u> <u>X 0 = L</u>	





Record the rating on the first page

NOTES and FIELD OBSERVATIONS:

Wetland Rating System for Western WA: 2014 Update
Rating Form - Effective January 1, 2015

12

Wetland name or number: Wetland C

<p style="text-align: center;">These questions apply to wetlands of all HGM classes.</p>	
<p>H 1.0. Does the site have the potential to provide habitat?</p> <p>HABITAT FUNCTIONS - Indicators that site functions to provide important habitat</p> <p>H 1.0. Does the site have the potential to provide habitat?</p> <p>H 1.1. Structure of plant community. Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of % ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked.</p> <p>_____ Aquatic bed</p> <p>_____ Emergent</p> <p>_____ Scrub-shrub (areas where shrubs have > 30% cover)</p> <p>_____ Forested (areas where trees have > 30% cover)</p> <p><input checked="" type="checkbox"/> If the unit has a Forested class, check if:</p> <p>_____ The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon</p> <p>H 1.2. Hydroperiods</p> <p>Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or % ac to count (see text for descriptions of hydroperiods).</p> <p>_____ Permanently flooded or inundated</p> <p>_____ Seasonally flooded or inundated</p> <p>_____ Occasionally flooded or inundated</p> <p><input checked="" type="checkbox"/> Saturated only</p> <p>_____ Permanently flowing stream or river in, or adjacent to, the wetland</p> <p>_____ Seasonally flowing stream in, or adjacent to, the wetland</p> <p>_____ Lake Fringe wetland</p> <p>_____ Freshwater tidal wetland</p>	<p>0</p>
<p>H 1.3. Richness of plant species</p> <p>Count the number of plant species in the wetland that cover at least 10 ft.². Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p>If you counted: > 19 species</p> <p>5 - 19 species</p> <p>< 5 species</p> <p>H 1.4. Interspersion of habitats</p> <p>Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  <p>High = 3 points</p> </div> </div> <p>All three diagrams in this row are HIGH = 3 points</p>	<p>1</p>

Wetland name or number: Wetland C

<p>H 1.5. Special habitat features:</p> <p>Check the habitat features that are present in the wetland. The number of checks is the number of points.</p> <p>_____ Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).</p> <p>_____ Standing snags (dbh > 4 in) within the wetland</p> <p>_____ Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m) over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)</p> <p>_____ Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered where wood is exposed)</p> <p>_____ At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are permanently or seasonally inundated (structures for egg-laying by amphibians)</p> <p><input checked="" type="checkbox"/> Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of strata)</p>	<p>1</p>
<p>Total for H 1</p> <p>Add the points in the boxes above</p>	<p>2</p>
<p>Rating of Site Potential If score is: 15-18 = H 7-14 = M X 0-6 = L Record the rating on the first page</p>	
<p>H 2.0. Does the landscape have the potential to support the habitat functions of the site?</p> <p>H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).</p> <p>Calculate: % undisturbed habitat₁₆ + [(% moderate and low intensity land uses)/2] 0 = _____ %</p> <p>If total accessible habitat is:</p> <p>> 1/3 (33.3%) of 1 km Polygon</p> <p>20-33% of 1 km Polygon</p> <p>10-19% of 1 km Polygon</p> <p>< 10% of 1 km Polygon</p> <p>H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.</p> <p>Calculate: % undisturbed habitat₄₆ + [(% moderate and low intensity land uses)/2] 1 = _____ %</p> <p>Undisturbed habitat > 50% of Polygon</p> <p>Undisturbed habitat 10-50% and in 1-3 patches</p> <p>Undisturbed habitat 10-50% and > 3 patches</p> <p>Undisturbed habitat < 10% of 1 km Polygon</p> <p>H 2.3. Land use intensity in 1 km Polygon: If</p> <p>> 50% of 1 km Polygon is high intensity land use</p> <p>≤ 50% of 1 km Polygon is high intensity</p>	<p>1</p> <p>-2</p> <p>0</p>
<p>Total for H 2</p> <p>Add the points in the boxes above</p>	<p>0</p>
<p>Rating of Landscape Potential If score is: 4-6 = H 1-3 = M X < 1 = L Record the rating on the first page</p>	
<p>H 3.0. Is the habitat provided by the site valuable to society?</p> <p>H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score that applies to the wetland being rated.</p> <p>Site meets ANY of the following criteria:</p> <p><input checked="" type="checkbox"/> It has 3 or more priority habitats within 100 m (see next page)</p> <p>_____ It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists)</p> <p>_____ It is mapped as a location for an individual WDFW priority species</p> <p><input checked="" type="checkbox"/> It is a Wetland of High Conservation Value as determined by the Department of Natural Resources</p> <p>_____ It has been categorized as an important habitat site in a local or regional comprehensive plan, in a Shoreline Master Plan, or in a watershed plan</p> <p>_____ Site has 1 or 2 priority habitats (listed on next page) within 100 m</p> <p>Site does not meet any of the criteria above</p>	<p>2</p> <p>1</p> <p>0</p>
<p>Rating of Value If score is: X 2 = H 1 = M 0 = L Record the rating on the first page</p>	<p>0</p>

Wetland name or number: Welland C

WDFW Priority Habitats

Priority habitats listed by WDFW (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife, 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <http://wdfw.wa.gov/publications/00165/wdfr00165.pdf> or access the list from here: <http://wdfw.wa.gov/conservation/phs/list/>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: **NOTE:** *This question is independent of the land use between the wetland unit and the priority habitat.*

- **Aspen Stands:** Pure or mixed stands of aspen, greater than 1 ac (0.4 ha).
- ✗ **Biodiversity Areas and Corridors:** Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- **Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- **Old-growth/Mature forests:** Old-growth west of Cascade crest – Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests – Stands with average diameters exceeding 2.1 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/cedar associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 159 – see web link above*).
- **Riparian:** The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 – see web link above*).
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- ✗ **Nearshore:** Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page*).
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 - 6.5 ft (0.15 - 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- ✗ **Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

Note: All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

Wetland name or number: Wetland D

RATING SUMMARY – Western Washington

Name of wetland (or ID #): Viewcrest Wetland D Date of site visit: 6/26/20
 Rated by: C. Van Slyke Trained by Ecology? Yes No Date of training: 2014

HGM Class used for rating: Slope Wetland has multiple HGM classes? Y N

NOTE: Form is not complete without the figures requested (figures can be combined).

Source of base aerial photo/map: Whatcom County 2017

OVERALL WETLAND CATEGORY: IV (based on functions or special characteristics)

1. Category of wetland based on FUNCTIONS

Category I – Total score = 23 - 27

Category II – Total score = 20 - 22

Category III – Total score = 16 - 19

Category IV – Total score = 9 - 15

FUNCTION	Improving		Hydrologic	Habitat	
	Water Quality				
Site Potential	HO	MOL ⊕	HO	MO L ⊕ HO	MO L ⊕
Landscape Potential	HO	MOL ⊕	HO	MO L ⊕ HO	MO L ⊕
Value	HO	MOL ⊕	HO	MO L ⊕ H ⊕	MO L ⊕
Score Based on Ratings	3	3	3	5	11

Score for each function based on three ratings (order of ratings is not important)

- 9 = H,H,H
- 8 = H,H,M
- 7 = H,H,L
- 6 = H,M,M
- 5 = H,L,L
- 4 = M,L,L
- 3 = L,L,L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY
Estuarine	I II
Wetland of High Conservation Value	I
Bog	I
Mature Forest	I
Old Growth Forest	I
Coastal Lagoon	I II III IV
Interdunal	I II III IV
None of the above	<input checked="" type="checkbox"/>

Wetland Rating System for Western WA: 2014 Update
 Rating Form – Effective January 1, 2015

Wetland name or number: Wetland D

Maps and figures required to answer questions correctly for Western Washington

Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	A
Hydroperiods	H 1.2	B
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	A
Plant cover of dense, rigid trees, shrubs, and herbaceous plants (can be added to figure above)	S 4.1	A
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	B
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	C
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	D
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	D

Wetland Rating System for Western WA: 2014 Update
 Rating Form – Effective January 1, 2015

Wetland name or number _____ Wetland D

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides except during floods?

NO - go to 2 YES - the wetland class is **Tidal Fringe** - go to 1.1

1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

NO - Saltwater Tidal Fringe (Estuarine)
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is an Estuarine wetland and is not scored. This method cannot be used to score functions for estuarine wetlands.

YES - Freshwater Tidal Fringe
If your wetland can be classified as a Flats wetland, use the form for Depressional wetlands.

2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

NO - go to 3 YES - The wetland class is **Flats**
If your wetland can be classified as a Flats wetland, use the form for Depressional wetlands.

3. Does the entire wetland unit **meet all** of the following criteria?
___ The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size;
___ At least 30% of the open water area is deeper than 6.6 ft (2 m).

NO - go to 4 YES - The wetland class is **Lake Fringe** (Lacustrine Fringe)
X The entire wetland unit **meet all** of the following criteria?
X The wetland is on a slope (*slope can be very gradual*).
X The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks,
X The water leaves the wetland **without being impounded**.

NO - go to 5 YES - The wetland class is **Slope**
NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

5. Does the entire wetland unit **meet all** of the following criteria?
___ The unit is in a valley, or stream channel, where it gets inundated by over-bank flooding from that stream or river,
___ The overbank flooding occurs at least once every 2 years.

Wetland name or number _____ Wetland D

NO - go to 6

NOTE: The Riverine unit can contain depressions that are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? *This means that any outlet, if present, is higher than the interior of the wetland.*

NO - go to 7

YES - The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO - go to 8

YES - The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream within boundary of depression	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as Depressional for the rating.

Wetland name or number: Wetland D

SLOPE WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water quality	
S 1.0. Does the site have the potential to improve water quality?	0
S 1.1. Characteristics of the average slope of the wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft of horizontal distance) Slope is 1% or less Slope is > 1%-2% Slope is > 2%-5% Slope is greater than 5%	0
S 1.2. The soil 2 in. below the surface (or duff layer) is true clay or true organic (use NRCS definitions): Yes = 3 No = 0	0
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants: Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in. Dense, uncut, herbaceous plants > 90% of the wetland area Dense, uncut, herbaceous plants > 1/2 of area Dense, woody, plants > 1/2 of area Dense, uncut, herbaceous plants > 1/4 of area Does not meet any of the criteria above for plants	1
Total for S 1	1
Rating of Site Potential If score is: <u>12 = H</u> <u>6-11 = M</u> <u>0-5 = L</u>	

S 2.0. Does the landscape have the potential to support the water quality function of the site?	0
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants? Yes = 1 No = 0	0
S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1? Other sources _____ Yes = 1 No = 0	0
Total for S 2	0
Rating of Landscape Potential If score is: <u>1-2 = M</u> <u>0 = L</u>	

S 3.0. Is the water quality improvement provided by the site valuable to society?	0
S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? Yes = 1 No = 0	0
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the basin is on the 303(d) list. Yes = 1 No = 0	0
S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? Answer YES if there is a TMDL for the basin in which unit is found. Yes = 2 No = 0	0
Total for S 3	0
Rating of Value If score is: <u>2-4 = H</u> <u>1 = M</u> <u>0 = L</u>	

Wetland name or number: Wetland D

SLOPE WETLANDS	
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream erosion	
S 4.0. Does the site have the potential to reduce flooding and stream erosion?	0
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Choose the points appropriate for the description that best fits conditions in the wetland. Stems of plants should be thick enough (usually > 1/8 in), or dense enough, to remain erect during surface flows. Dense, uncut, rigid plants cover > 90% of the area of the wetland All other conditions	0
Rating of Site Potential If score is: <u>1 = M</u> <u>0 = L</u>	

S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?	1
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses or cover that generate excess surface runoff? Yes = 1 No = 0	1
Rating of Landscape Potential If score is: <u>1 = M</u> <u>0 = L</u>	

S 6.0. Are the hydrologic functions provided by the site valuable to society?	0
S 6.1. Distance to the nearest areas downstream that have flooding problems: The sub-basin immediately down-gradient of site has flooding problems that result in damage to human or natural resources (e.g., houses or salmon redds) Surface flooding problems are in a sub-basin farther down-gradient No flooding problems anywhere downstream	0
S 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for S 6	0
Rating of Value If score is: <u>2-4 = H</u> <u>1 = M</u> <u>0 = L</u>	

Record the rating on the first page

NOTES and FIELD OBSERVATIONS:

Wetland name or number: Wetland D

<p style="text-align: center;">These questions apply to wetlands of all HGM classes.</p> <p>HABITAT FUNCTIONS - Indicators that site functions to provide important habitat</p>	
H 1.0. Does the site have the potential to provide habitat?	1
H 1.1. Structure of plant community. Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of % ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked.	1
<p>_____ Aquatic bed</p> <p><input checked="" type="checkbox"/> Emergent</p> <p><input checked="" type="checkbox"/> Scrub-shrub (areas where shrubs have > 30% cover)</p> <p>_____ Forested (areas where trees have > 30% cover)</p> <p>_____ If the unit has a Forested class, check if:</p> <p>_____ The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon</p>	<p>4 structures or more: points = 4</p> <p>3 structures: points = 2</p> <p>2 structures: points = 1</p> <p>1 structure: points = 0</p>
H 1.2. Hydroperiods	1
<p>Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or % ac to count (see text for descriptions of hydroperiods).</p> <p><input checked="" type="checkbox"/> Permanently flooded or inundated</p> <p><input checked="" type="checkbox"/> Seasonally flooded or inundated</p> <p><input checked="" type="checkbox"/> Occasionally flooded or inundated</p> <p><input checked="" type="checkbox"/> Saturated only</p> <p>_____ Permanently flowing stream or river in, or adjacent to, the wetland</p> <p>_____ Seasonally flowing stream in, or adjacent to, the wetland</p> <p>_____ Lake Fringe wetland</p> <p>_____ Freshwater tidal wetland</p>	<p>4 or more types present: points = 3</p> <p>3 types present: points = 2</p> <p>2 types present: points = 1</p> <p>1 type present: points = 0</p> <p>2 points</p> <p>2 points</p>
H 1.3. Richness of plant species	1
<p>Count the number of plant species in the wetland that cover at least 10 ft.².</p> <p><i>Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</i></p> <p>If you counted: > 19 species</p> <p>5 - 19 species</p> <p>< 5 species</p>	<p>points = 2</p> <p>points = 1</p> <p>points = 0</p>
H 1.4. Interspersion of habitats	1
<p>Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high.</p>	<p style="text-align: center;"> Low = 1 point </p> <p style="text-align: center;"> Moderate = 2 points </p> <p style="text-align: center;"> High = 3 points </p> <p style="text-align: center;"> High = 3 points </p> <p style="text-align: center;"> High = 3 points </p>
<p>None = 0 points</p> <p>All three diagrams in this row are HIGH = 3 points</p>	<p style="text-align: center;">None = 0 points</p> <p style="text-align: center;">Moderate = 2 points</p> <p style="text-align: center;">High = 3 points</p>

Wetland name or number: Wetland D

H 1.5. Special habitat features:	1
<p>Check the habitat features that are present in the wetland. The number of checks is the number of points.</p> <p><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).</p> <p>_____ Standing snags (dbh > 4 in) within the wetland</p> <p>_____ Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m) over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)</p> <p>_____ Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered where wood is exposed)</p> <p>_____ At least 1/4 ac of thin-stemmed persistent plants or woody branches are present in areas that are permanently or seasonally inundated (structures for egg-laying by amphibians)</p> <p>_____ Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of strata)</p>	<p>points = 3</p> <p>points = 2</p> <p>points = 1</p> <p>points = 0</p>
Total for H 1	5
<p>Add the points in the boxes above</p>	
<p>Rating of Site Potential If score is: 15-18 = H 7-14 = M X 0-6 = L Record the rating on the first page</p>	
H 2.0. Does the landscape have the potential to support the habitat functions of the site?	1
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).	1
<p>Calculate: % undisturbed habitat₁₆ + [(% moderate and low intensity land uses)/2] 0 = _____ %</p> <p>If total accessible habitat is:</p> <p>> 1/3 (33.3%) of 1 km Polygon</p> <p>20-33% of 1 km Polygon</p> <p>10-19% of 1 km Polygon</p> <p>< 10% of 1 km Polygon</p>	<p>points = 3</p> <p>points = 2</p> <p>points = 1</p> <p>points = 0</p>
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.	1
<p>Calculate: % undisturbed habitat₄₆ + [(% moderate and low intensity land uses)/2] 1 = _____ %</p> <p>Undisturbed habitat > 50% of Polygon</p> <p>Undisturbed habitat 10-50% and in 1-3 patches</p> <p>Undisturbed habitat 10-50% and > 3 patches</p> <p>Undisturbed habitat < 10% of 1 km Polygon</p>	<p>points = 3</p> <p>points = 2</p> <p>points = 1</p> <p>points = 0</p>
H 2.3. Land use intensity in 1 km Polygon: If	-2
<p>> 50% of 1 km Polygon is high intensity land use</p> <p>≤ 50% of 1 km Polygon is high intensity</p>	<p>points = (- 2)</p> <p>points = 0</p>
Total for H 2	0
<p>Add the points in the boxes above</p>	
<p>Rating of Landscape Potential If score is: 4-6 = H 1-3 = M X < 1 = L Record the rating on the first page</p>	
H 3.0. Is the habitat provided by the site valuable to society?	2
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score that applies to the wetland being rated.	2
<p>Site meets ANY of the following criteria:</p> <p><input checked="" type="checkbox"/> It has 3 or more priority habitats within 100 m (see next page)</p> <p>_____ It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists)</p> <p>_____ It is mapped as a location for an individual WDFW priority species</p> <p><input checked="" type="checkbox"/> It is a Wetland of High Conservation Value as determined by the Department of Natural Resources</p> <p>_____ It has been categorized as an important habitat site in a local or regional comprehensive plan, in a Shoreline Master Plan, or in a watershed plan</p> <p>_____ Site has 1 or 2 priority habitats (listed on next page) within 100 m</p>	<p>points = 2</p> <p>points = 1</p> <p>points = 0</p>
<p>Site does not meet any of the criteria above</p>	
<p>Rating of Value If score is: X 2 = H 1 = M 0 = L Record the rating on the first page</p>	

Wetland name or number: Wetland D


WDFW Priority Habitats


Priority habitats listed by WDFW (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <http://wdfw.wa.gov/publications/00165/wdfw00165.pdf> or access the list from here: <http://wdfw.wa.gov/conservation/phs/list/>)


Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: **NOTE:** *This question is independent of the land use between the wetland unit and the priority habitat.*

- **Aspen Stands:** Pure or mixed stands of aspen, greater than 1 ac (0.4 ha).
- ✗ **Biodiversity Areas and Corridors:** Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- **Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- **Old-growth/Mature forests:** Old-growth west of Cascade crest – Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests – Stands with average diameters exceeding 2.1 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/cedar associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 159 – see web link above*).
- **Riparian:** The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 – see web link above*).
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- ✗ **Nearshore:** Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page*).
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 - 6.5 ft (0.15 - 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- ✗ **Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

Note: All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.



	<p>Wetland Rating Figure: Vegetation Map</p> <p>The Woods at Viewcrest Wetland Delineation Update</p>	<p>Attachment A</p> <p>FEB 2022</p>
---	--	---




 150ft Polygon
  Saturated
  Ditch

0 100 200 300 400 ft



Aerial Photo: Whatcom County 2019


<p>ECOLOGICAL</p> <p>NORTHWEST</p> 	<p>Wetland Rating Figure: Hydrology Map</p> <p>The Woods at Viewcrest Wetland Delineation Update</p>	<p>Attachment B</p> <p>FEB 2022</p>
---	---	--




Note: Features shown were not surveyed. Size and location of features shown are approximated based on GPS points, aerial imagery and LiDAR interpretation, and field notes.


Map Prepared by:
 Northwest Ecological Services, LLC
 2801 Meridian St., Ste. 202, Bellingham, WA 98225
 360-734-9484 www.nwecological.com

- Site Wetlands
- Moderate/Low Intensity
- 1km Polygon
- Undisturbed



Aerial Photo: Whatcom County 2019

ECOLOGICAL  NORTHWEST	Wetland Rating Figure: Land Use Map The Woods at Viewcrest Wetland Delineation Update	Attachment C FEB 2022
--	--	--



Site Wetlands

TMDL Boundaries

303d Waters

Approved

In Development

1 in = 1,000

0 500 1,000 1,500 2,000 ft



Aerial Photo: Whatcom County 2019

	<p>Wetland Rating Figure: Water Quality Map</p> <p>The Woods at Viewcrest Wetland Delineation Update</p>	<p>Attachment D</p> <p>FEB 2022</p>
--	---	---